



**ACT**  
Government

Transport Canberra and  
City Services

## FREEDOM OF INFORMATION COVERSHEET

The following information is provided pursuant to section 28 of the *Freedom of Information Act 2016*.

FOI reference: 23-113

Information to be published	Status
1. Access application	Published
2. Decision notice	Published
3. Schedule	Published
4. Documents	Published
5. Additional information identified	Not Applicable
6. Fees	Not Applicable
7. Processing time (in working days)	37 days
8. Decision made by Ombudsman	Not applicable
9. Additional information identified by Ombudsman	Not applicable
10. Decision made by ACAT	Not applicable

11. Additional information identified by ACAT	Not applicable
---	----------------



# Freedom of Information - Access Application to Transport Canberra and City Services - Submission confirmation

Your submission has been successful. Please keep a copy of this receipt for your records.

Date and time

Reference code

21 Sep 2023 7:17:09 PM

L8CF8SX7

Transport Canberra and City Services (TCCS)

GPO Box 158  
Canberra ACT 2601

Phone: 02 6207 2987

Email: TCCS.FOI@act.gov.au

## Applicant details

Title

Given name

Family name

[REDACTED]

[REDACTED]

[REDACTED]

Preferred name

[REDACTED]

Preferred method of contact

Phone

Email

Post

Contact phone number

[REDACTED]

Contact email address

[REDACTED]

## Contact postal address

Address line 1

[REDACTED]

Address line 2

[REDACTED]

Suburb

[REDACTED]

State

[REDACTED]

Postcode

[REDACTED]

Preferred method to receive information \*

Email

Post

Same as contact email address

## Information request

Who are you making the request on behalf of?

Myself

What type of information are you requesting access to? \*

Other information

What information are you requesting access to under the Act? \*

All reports of damage to bike paths from tree roots and cracking etc, in the Moncrieff, Forde and Amaroo areas. Any reports of accidents due to damaged bike paths in those areas. Particularly near Wanderer CI Amaroo and around Lyall Gillespie Corridor Forde.

Attach a description or additional details about the information you are requesting access to (optional)

Do you have a similar or identical request currently under review by another ACT Government Directorate?

Yes  No

Are you enquiring as

A member of the public

Do you wish to apply for a waiver of fees associated with processing your application?

Yes  No

Do you hold a valid concession card?

Yes  No

Please provide your reason for requesting a fee waiver

FOI should carry no fee's

Provide a statement about how the release of information is in the public interest (optional)

Keeping us informed of areas reported and still needing attention.

Would you like to provide any additional information? (optional)

Attach additional documents to support your application (optional)



Dear [REDACTED]

### Freedom of Information Request - Reference 23-113

I refer to your access application under the *Freedom of Information Act 2016* (FOI Act) received by Transport Canberra and City Services (TCCS) on 21 September 2023 by way of transfer from the Chief Minister, Treasury and Economic Development Directorate. It is my understanding that you sought access to the following government information:

*“All reports of damage to bike paths from tree roots and cracking etc, in the Moncrieff, Forde and Amaroo areas. Any reports of accidents due to damaged bike paths in those areas. Particularly near Wanderer Cl Amaroo and around Lyall Gillespie Corridor Forde.”*

I thank you for providing the following views on public interest:

*“Keeping us informed of areas reported and still needing attention”.*

### Timeframes

A decision was due on your access application by 6 November 2023. I thank you for agreeing to an extension until 20 November 2023.

### Authority

I am an Information Officer appointed by the Director-General under section 18 of the Act to deal with access applications made under Part 5 of the FOI Act.

### Decision on access

In accordance with the FOI Act, a search of TCCS records has been completed and three records have been identified as relevant to your application. Upon reviewing the information within these records and applying the public interest test under section 17 of the FOI Act, I have decided to provide you with:

- Full access to one record; and
- Partial access to two records.

The records identified as relevant to your application are listed in the schedule enclosed at Attachment A. A copy of the records with deletions applied to the information I have found to be contrary to the public interest is enclosed at Attachment B. The reasons for my decision are detailed further below in the statement of reasons.

### Statement of Reasons

In reaching my access decision, I have taken the following into account:

- The FOI Act; and
- The *Human Rights Act 2016*.

In making my decision on disclosing the relevant government information, I must identify all relevant factors in schedule 1 and 2 of the FOI Act and determine, on balance, where the public interest lies.

**Schedule 1:**

- No relevant sections identified.

**Schedule 2:**

**Factors favouring disclosure in the public interest (Section 2.1)**

- Schedule 2.1(a)(i) - promote open discussion of public affairs and enhance the government's accountability;
- Schedule 2.1(a)(ii) - contribute to positive and informed debate on important issues or matters of public interest;
- Schedule 2.1(a)(iii) - inform the community of the government's operations, including the policies, guidelines and codes of conduct followed by the government in its dealings with members of the community;
- Schedule 2.1(a)(viii) - reveal the reason for a government decision and any background or contextual information that informed the decision.

**Factors favouring non-disclosure (Section 2.2)**

- Section 2.2(a)(ii) - prejudice the protection of an individual's right to privacy or any other right under the *Human Rights Act 2016*.

In reviewing the relevant records, personal information relating to third parties, including information which is likely to identify a third party, has been identified. This includes addresses that appear to be residential addresses entered into the incorrect field as locations for asset defects. I have considered that this information is not readily available to the public and the disclosure of this information is likely to prejudice the protection of an individual's right to privacy under the *Human Rights Act 2004* and carries significant weight. I find this information is, on balance, contrary to the public interest to disclose.

I have found that the factors favouring disclosure can be satisfied with the deletion of information which is contrary to the public interest.

**Charges**

In accordance with [Freedom of Information \(Fees\) Determination 2018](#), a fee of \$0.35 per page of information disclosed, except for the first 50 pages, may be applied to an access application. I have not applied a fee to your application, as the total number of pages is within the fee-free threshold.

**Online publishing – disclosure log**

Under section 28 of the Act, TCCS maintains an online record of access applications called a disclosure log. In accordance with section 28, your application, my decision and information disclosed to you will be published on the [TCCS Disclosure Log](#) within 3 – 10 business days. Your personal information, including information relating to your firm, will be removed from these documents prior to publication.

**Ombudsman review**

My decision on your access request is a reviewable decision as identified in Schedule 3 of the Act. You have the right to seek an Ombudsman review of this outcome under section 73 of the Act within 20 working days from the day that my decision is published in TCCS' disclosure log, or a longer period allowed by the Ombudsman. If you wish to request a review of my decision, you may write to the Ombudsman at:

The ACT Ombudsman  
GPO Box 442  
CANBERRA ACT 2601  
Via email: [actfoi@ombudsman.gov.au](mailto:actfoi@ombudsman.gov.au)

**ACT Civil and Administrative Tribunal (ACAT) review**

Under section 84 of the Act, if a decision is made under section 82 on an Ombudsman review, you may apply to the ACAT for review of the Ombudsman decision. Further information may be obtained from ACAT at:

ACT Civil and Administrative Tribunal  
Level 4, 1 Moore Street  
GPO Box 370  
CANBERRA CITY ACT 2601  
Telephone: (02) 6207 1740  
[www.acat.act.gov.au](http://www.acat.act.gov.au)

If you have any queries concerning the directorate's processing of your request, or would like further information, please contact the TCCS FOI team on (02) 6207 2987 or email to [tccs.foi@act.gov.au](mailto:tccs.foi@act.gov.au).

Yours sincerely



Cherie Hughes  
Information Officer

14 November 2023

## ATTACHMENT A - ACCESS APPLICATION SCHEDULE, FREEDOM OF INFORMATION

**Reference Number: 23-113**

Please be aware that under the *Freedom of Information Act 2016*, some of the information provided to you will be released to the public through the ACT Government's Open Access Scheme. The Open Access release status column of the table below indicates what documents are intended for release online through open access.

Personal information or business affairs information will not be made available under this policy. If you think the content of your request would contain such information, please inform the contact officer immediately.

Information about what is published on open access is available online at: [https://www.cityservices.act.gov.au/about-us/freedom\\_of\\_information/disclosure-log](https://www.cityservices.act.gov.au/about-us/freedom_of_information/disclosure-log)

### Factors favouring non-disclosure:

Schedule 2.2(a)(ii) - prejudice the protection of an individual's right to privacy or any other right under the *Human Rights Act 2016*.

Reference number	Page number	Description	Date	Status	Reason for non-release or deferral	Open Access release status
1	1 - 33	Salesforce case report	Multiple	Partial access	Schedule 2.2(a)(ii)	Decision to be published on the <a href="#">TCCS Disclosure Log</a> .
2	34 - 39	Work Order report	Multiple	Partial access	Schedule 2.2(a)(ii)	
3	40 - 43	Work Request report	Multiple	Full access	Not applicable	

**Total number of documents: 3**



Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
2/05/2021	70339	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaf litter from deciduous trees Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? No	7 RICKMAN ST, FORDE ACT 2914	FORDE	WR22279	216970	Workrequest WO45304 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Serious (10 days)
6/05/2021	71624	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	7 ALICE ST, AMAROO ACT 2914	AMAROO	WR22524	219411	Workrequest WO39028 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Serious (10 days)
15/05/2021	74658	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? leaves and debris that are blocking drains Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No	1 RAY ELLIS CR, FORDE ACT 2914	FORDE	WR23030	225508	WR23030 has been closed in Assetic by Matthew Handley. Comments: Linked Work Order WO41276 has been assessed.
18/05/2021	75470	Water > Kerbs & gutters > Street & path sweeping	What is the debris or material? Leaves Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No	Tom Nicholas cres Forde	FORDE	WR43744	226537	
18/05/2021	75579	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Asphalt What is the damage? Sunken or collapsed More Information The Government footpath that runs across the front of our house (and also our neighbours) is sinking. It has a very obvious sunken look and is causing our letterbox to slope towards the footpath because of it. It is getting worse. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	23 JUSTICE KELLY ST, FORDE ACT 2914	FORDE	WR23180	226853	Workrequest WO39481 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
1/06/2021	80220	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information hard stand area adjacent to tree in Ammaroo shops has large sink hole in it.</p> <p>Please refer to ROADS ACT for repair</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>		AMAROO	WR43752	234288	
2/06/2021	80650	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information Sinkhole in a hard standing area at Amaroo shops - material is concreted-in pebbles connected to pavers. Top half of Amaroo shops on cnr of Emerald Way and Horsepark drive (in the slip-lane carpark). For attention of Roads ACT.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	EMERALD TERRACES UNIT 18 815 HORSE PARK DR, AMAROO ACT 2914	AMAROO		234963	WR23990 has been rejected in Assetic by Jody Friend. Rejection reason: send to trees
11/06/2021	84047	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Very uneven footpath outside 8 Bromham Street, Forde. Many people have tripped while walking, and many children have fallen and hurt themselves.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	8 BROMHAM ST, FORDE ACT 2914	FORDE	WR24480	241080	Workrequest WO41098 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
21/06/2021	86491	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the damage? Sunken or collapsed More Information Overtime there has been extensive water seepage between houses no 40 and 42 Katherine Avenue resulting in constant presence of water which flows constantly over the concrete footpath and causes potential slippage hazards for pedestrians. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes</p>	42 KATHERINE AV, AMAROO ACT 2914	AMAROO		243980	WR24794 has been rejected in Assetic by JohnA Ryan. Rejection reason: Sunken footpath. Groundwater moving through the area.
21/06/2021	86841	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other What is the damage? Cracked, broken or uneven More Information Today at Wagi Bridge parkrun a parkrunner tripped over an uneven part of the Wagi Bridge, There is a section where one platform is higher than the other causing a trip hazard. All the platforms on the bridge should be checked and fixed. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes</p>		Moncrieff		245757	WR24925 has been cancelled in Assetic by Garry Feeney. Cancelled reason: Work Request has been cancelled.CSRM Case Number : 00086841 Requester Contact Name: [REDACTED] Phone Number: [REDACTED] Initial enquiry info only. See CSRM for additional ...
21/06/2021	86968	Water > Kerbs & gutters > Street & path sweeping	<p>What is the debris or material? leaves Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? No</p>	3 SAXBY CL, AMAROO ACT 2914	AMAROO		246122	
22/06/2021	87321	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete What is the damage? Uplifting due to tree root More Information I have registered this issue once before, with the fix being some white paint applied to the lifted cement. I request the paths be repaired properly as the lifting is getting pretty bad now and it won't be long before someone falls badly. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes</p>	82 BURDEKIN AV, AMAROO ACT 2914	AMAROO		247374	WR25086 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.There is a work order for this request already prepared. It has been extracted for inclusion in a work package that should be completed this finan...

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
23/06/2021	87458	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information There are a number of sections of this concrete footpath that are uneven</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	42 KATHERINE AV, AMAROO ACT 2914	AMAROO	WR25121	247700	WR25121 has been closed in Assetic by Thinley Gyem. Comments: Linked Work Order has been assessed.
3/07/2021	90442	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information The footpath has sunken creating severe uneven pathway around manhole and driveway. People have tripped and the mail people have launched their post bikes when traveling along the path. It is dangerous and needs to be fixed.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	GRANNALL ST, FORDE ACT 2914	FORDE	WR26017	255239	Workrequest WO41054 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
6/07/2021	91415	Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Potholes</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	117 Bernard Heinze Ave moncrieff act 2914	MONCRIEFF	WR43827	257596	WR43827 has been closed in Assetic by Matthew Handley. Comments: Linked Work Order has been assessed.
7/07/2021	91962	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Branch droppings</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>	3 CARSTAIRS CCT, AMAROO ACT 2914	AMAROO	WR26332	259170	WR26332 has been closed in Assetic by Matthew Handley. Comments: Linked Work Order WO41213 has been assessed.
19/07/2021	94890	Fix My Street > Water > Kerbs & gutters > Street & path sweeping	<p>What is the debris or material? Decayed leaf matter</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? No</p>		AMAROO	WR27004	266238	WR27004 has been closed in Assetic by Matthew Handley. Comments: Linked Work Order WO42007 has been assessed.
26/07/2021	96544	Fix My Street > Cycle & footpaths > Shared paths > Remove dead/injured wildlife	<p>Can you identify the animal? Kangaroo/Wallaby</p>	1 FOY ST, FORDE ACT 2914	FORDE		271108	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
28/07/2021	98675	Fix My Street > Cycle & footpaths > Shared paths > Remove dead/injured wildlife	More Information On path near bus stop on Hanbury Can you identify the animal? Kangaroo/Wallaby	11 LAIRD CR, FORDE ACT 2914	FORDE		273850	
10/09/2021	114462	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Tripping hazard footpath raised and uneven Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	9 - 11 JESSIE ST, FORDE ACT 2914	FORDE	WR30497	318136	WR30497 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order WO44559 has been assessed.
10/09/2021	114465	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Tripping and fall hazard. Uneven and raised footpath. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	18 PAQUITA ST, FORDE ACT 2914	FORDE	WR30498	318147	WR30498 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.
13/09/2021	115341	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information The concrete footpath requires maintenance to make it a smooth and safe footpath to walk on. The has sunken, cracked and uplifted in multiple areas between 49 Rollston Street Amaroo and joining roundabout on Wellesley Street. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	49 ROLLSTON ST, AMAROO ACT 2914	AMAROO	WR30699	319932	WR30699 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
17/09/2021	116576	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	Issue Description Shrubs are blocking the path so there's not enough space to get my mobility scooter past	EMERALD TERRACES UNIT 1 815 HORSE PARK DR, AMAROO ACT 2914	AMAROO		322928	WR30924 has been rejected in Assetic by Jonathon Corby. Rejection reason: Please forward to city rangers for naturestip guidelines

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
28/09/2021	119435	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information On Sunday I tripped on an uneven path in Amaroo. I have injured myself, I have arthritic knees have had a hip replacement. My hip is giving me issues and my knees especially my left is swollen and painfull. Please ring me on [REDACTED]</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	1 TIMBORAM ST, AMAROO ACT 2914	AMAROO	WR31462	329743	WR31462 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order WO44553 has been assessed.
22/10/2021	126417	Fix My Street > Water > Kerbs & gutters > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Watch a boy trip and hurt himself bad on a stormwater pit that doesn't look likebits built right</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	9 CLARA CL, AMAROO ACT 2914	AMAROO		349208	WR32906 has been cancelled in Assetic by Andrew Melville. Cancelled reason: Work Request has been cancelled.CSRM Case Number : 00126417 Requester Contact Name: Anonymous Phone Number: Initial enquiry info only. See CSRM for additional correspondence...
23/10/2021	126557	Path extension request - Doris Turner St - Phyllis Frost St	<p>Why do you believe this change is required This short section of dirt path becomes mud when wet and makes the path disjointed</p> <p>What are you requesting? Extension to an existing path</p> <p>More Information The footpath/shared path opposite Phyllis Frost St and Doris Turner St alongside the Mulligan's Flat Nature Park is a section of dirt, with concrete path to the west and east. When it is wet this becomes a mud patch and people ride or walk avoid it</p>	37 PHYLLIS FROST ST, FORDE ACT 2914	FORDE	WR32934	349485	
24/10/2021	126742	Path extension request - 314 Mirrabai Dr	<p>Why do you believe this change is required There appears to be an incomplete footpath. It is a trip hazard and the ground isn't safe/ideal for walking on</p> <p>What are you requesting? Extension to an existing path</p> <p>More Information The footpath ends abruptly about 5-10metres short of the footpath I believe it should touch. When walking with a pram or my elderly mother it?s quite difficult and dangerous as the path ends with a trip hazard and the ground between paths is uneven.</p>	308 MIRRABEI DR, MONCRIEFF ACT 2914	MONCRIEFF	WR32976	349739	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
31/10/2021	128767	Cycle & footpaths > Shared paths > Remove dead/injured wildlife	More Information An eastern brown snake was seen slithering along the path between Good Sherpherd Primary School oval and the athletics oval, the snake was approx 5m from the sporting containers. Customer is asking if signs of snake sightings could be erected. Can you identify the animal? Other	No Nearby Address	AMAROO		354396	
4/11/2021	130200	Path extension request - 314 Mirrabai Dr	Why do you believe this change is required It has been over two years and the footpath that joins Bellhouse Crescent to Mirrabai Drive footpath has not been extended. The footpath was laid during Moncrieff suburb construction - but for some unknown reason the footpath was never merged. What are you requesting? Extension to an existing path More Information The footpath ends abruptly and due to non-completion - is angled at a way that actually causes a trip hazard for walkers and runners, and undoubtedly concern for bike riders. The path concrete required would be no more than 10 metres.	308 MIRRABEI DR, MONCRIEFF ACT 2914	MONCRIEFF	WR33691	358042	
19/11/2021	135677	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Sunken or collapsed More Information Trip hazard in footpath adjacent to 2 Marrett Street Amaroo on Katherine Avenue Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	2 MARRETT ST, AMAROO ACT 2914	AMAROO	WR34895	368486	Workrequest WO46991 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)
22/11/2021	136542	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Many of the concrete sections are cracked and uneven causing a trip hazard. My 81y/o mother tripped today, and fell over injuring her knee and cutting her forehead. She was lucky she did not suffer a more serious injury. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	Between 8 and 20 Diamond St, Amaroo	AMAROO	WR43844	370197	WR43844 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
23/11/2021	136716	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Vehicle Debris</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	No Nearby Address	AMAROO		370579	WR35136 has been cancelled in Assetic by Shane Cox. Cancelled reason: Work Request has been cancelled.cleared by callout crew
23/11/2021	136791	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information [REDACTED] the footpath is broken for over a year now and currently is a trip hazard. This footpath is often and regularly used by school children from early to year 10 age with kid's bike, roller board, etc.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	109 KATHERINE AV, AMAROO ACT 2914	AMAROO	WR35153	370836	Workrequest WO46554 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
24/11/2021	137270	Fix My Street > Water > Kerbs & gutters > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Water leak from a ?broken pipe</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? No</p>	9 TRAINE CT, AMAROO ACT 2914	AMAROO		371972	WR35259 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.There was no indication of a water leak on inspection. Resident advised that Icon water attended across the road to perform repairs.
6/12/2021	141095	Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information There is a sewer manhole that is significantly raised from the footpath. It is a trip hazard and kids have flipped off their scooters and bikes. The Government has previously marked the raised edges with spray paint but nothing further since then</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	64 BUCKINGHAM ST, AMAROO ACT 2914	AMAROO	WR36284	379365	Workrequest WO47512 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)



Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
8/12/2021	141827	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	14 MARCUS ST, FORDE ACT 2914	FORDE	WR38224	380977	WR38224 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.
13/12/2021	143206	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Crack and uneven footpath which causes trip hazard, especially for young kids and young cyclists. The area connects to Yerrabi Pond park where many young kid and families pass.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	25 BENAROOON CCT, AMAROO ACT 2914	AMAROO	WR38526	384127	Workrequest WO47518 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)
14/12/2021	143504	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	Issue Description over hanging trees hanging over footpath	ELOUERA UNIT 12 21 FRANCIS FORDE BVD, FORDE ACT 2914	FORDE		384721	WR38691 has been rejected in Assetic by Jonathon Corby. Rejection reason: refer to Urban Tree scapes
14/12/2021	143680	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Brick or concrete pavers</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information [REDACTED] 20 Corringale Close Amaroo, a tree has uplifted the footpath causing a extremely dangerous walking path for pedestrians or families walking. I saw a young child fall over the other day as a result of the footpath</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	20 CORRINGLE CL, AMAROO ACT 2914	AMAROO	WR38730	385105	Workrequest WO47526 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
18/12/2021	144957	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information This was reported previously and still unresolved. AC-00245757. There are sections on Wagi Bridge that are uneven posing a risk of someone tripping.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	31 JORGENSEN ST, MONCRIEFF ACT 2914	MONCRIEFF		388272	WR39420 has been cancelled in Assetic by Garry Feeney. Cancelled reason: Work Request has been cancelled.work completed
12/01/2022	152360	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Report Number: 2064495 Monday, January 10th 2022, 8:47:34 am AEDT</p> <p>Incident Type: Pavement - Damaged</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	30 FRANCIS FORDE BVD, FORDE ACT 2914	FORDE	WR41181	403138	Workrequest WO48386 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Non Critical (30 days)
18/01/2022	154575	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Washed away Scoria</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	15 ALICE ST, AMAROO ACT 2914	AMAROO	WR41726	408380	Workrequest WO48370 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Serious (10 days)
25/01/2022	156772	New path or extension request> Mirrabai Dr	<p>Why do you believe this change is required There is an obvious gap in the pathway in this spot.</p> <p>What are you requesting? Extension to an existing path</p> <p>More Information The cycle/share path adjacent Mirrabai Drive has not been connected to the foot path adjacent, the gap here should be infilled as it is obvious that plenty of people walk through there as can be seen by the ground/grass that has been worn away.</p>	308 MIRRABEI DR, MONCRIEFF ACT 2914	Moncrieff	WR42269	413686	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
26/01/2022	157076	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Tree has lifted concrete and elderly people walk and trip and live there also.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	22 RODERICK ST, AMAROO ACT 2914	AMAROO	WR42328	414384	Workrequest WO49966 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)
28/01/2022	157824	Cycle & footpaths > On road cycle lanes > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	LETT PL, AMAROO ACT 2914	AMAROO		416197	WR42522 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.Tried numerous further attempts in person, by phone and email to contact resident to discuss details of driveway repair but unsuccessful. Met neig...
10/02/2022	163171	Fix My Street > Cycle & footpaths > Shared paths > New path or extension request	<p>Why do you believe this change is required I believe this change should be in place to make a safe walk way for pedestrians and children walking up or down the road.</p> <p>Currently there is no path here causing people to walk on the road which has caused danger to cars and people.</p> <p>What are you requesting? New path</p>	17 ANNAN CL, AMAROO ACT 2914	AMAROO	WR43637	428185	
22/02/2022	166875	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information 2 slabs are broken and have sunk</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	ASHBROOKE ON 57 UNIT 2 140 KATHERINE AV, AMAROO ACT 2914	AMAROO	WR44544	436834	WR44544 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
22/02/2022	166932	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The sunken, badly cracked footpath is definitely posing hazards to its users including large number of school kids, who uses this path regularly. I have reported this footpath issue over a year ago. Unfortunately, nothing except some marking is done.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	109 KATHERINE AV, AMAROO ACT 2914	AMAROO	WR44559	436951	Workrequest WO46554 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
23/02/2022	167730	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The footpath is cracked and raised from 102-108 Katherine Ave in Amaroo.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	102 KATHERINE AV, AMAROO ACT 2914	AMAROO	WR44697	438895	WR44697 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
14/03/2022	174318	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information Two portions of the footpath at the front of 27 Roderick Street are approx 40-50 ml raised from the other sections of the path. It is a serious trip hazard for walkers, joggers etc and could be very dangerous if a bicycle hits it front on</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	27 RODERICK ST, AMAROO ACT 2914	AMAROO	WR45977	452719	WR45977 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
24/03/2022	177751	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? MVA</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	ALLEGRA UNIT 7 77 BERNARD HEINZE AV, MONCRIEFF ACT 2914	MONCRIEFF	WR46717	459742	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
26/03/2022	178424	Cycle & footpaths > On road cycle lanes > Blocking the path	AC: 00461573. Lodged 26/03/2022. Illegal parking. Please forward to Parking Operations What is causing the obstruction? Other More Information Footpath totally blocked. Happens frequently at this address. Reported several times in past. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No	18 BIZANT ST, AMAROO ACT 2914	AMAROO		461573	
31/03/2022	180139	Fix My Street > Cycle & footpaths > Shared paths > New path or extension request	Why do you believe this change is required Extension to footpath requested to join the property to the footpath. The existing path has a large gap between the public footpath and the property. What are you requesting? Extension to an existing path	20 DARGIN CR, MONCRIEFF ACT 2914	MONCRIEFF	WR47179	464783	
31/03/2022	180185	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? leave litter and gum tree bark Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	30 FRANCIS FORDE BVD, FORDE ACT 2914	FORDE	WR47192	464837	
17/04/2022	185438	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Sunken or collapsed More Information Footpath has sunken drastically causing posties to launch their trikes when they hit the uneven concrete. Pedestrians are tripping over my driveway as it has sunken below this. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	GRANNALL ST, FORDE ACT 2914	FORDE		475431	WR48797 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.
21/04/2022	186476	Fix My Street > Cycle & footpaths > On road cycle lanes > Damage to path or other	What is the material? Concrete What is the damage? Sunken or collapsed More Information Over the last about 10 months concrete path has sunken; kids some times fall, cyclists swear and most of my family members have had near falls. I had both knees replaced, causing much difficulty in walking, twisting ankle! Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	5 ALLNUTT CR, FORDE ACT 2914	FORDE	WR49034	477311	WR49034 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
23/04/2022	187282	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Trip Hazard</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	3 MEERUP ST, AMAROO ACT 2914	AMAROO	WR50171	478755	WR50171 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
25/04/2022	187640	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Oak leaves are clogging drains.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? No</p>	1 RAY ELLIS CR, FORDE ACT 2914	FORDE	WR50236	479212	
2/05/2022	189758	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Footpath outside our home has been ground down but there is still a trip hazard which is dangerous.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	42 KATHERINE AV, AMAROO ACT 2914	AMAROO		483608	WR50681 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.
2/05/2022	189818	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	<p>Issue Description Blind corner - is a Safety Hazard : Shared downhill blind corner - Cycle/footpath - Easy fix. - has been some close calls. (this maybe due to bushes on private property growing) - . . . install convex mirror on existing pole.</p>	51 TURBAYNE CR, FORDE ACT 2914 : ON cycle path	FORDE		483727	WR57527 has been cancelled in Assetic by Bunnarith Seng. Cancelled reason: Work Request has been cancelled. Enquiry has been investigated and closed via Salesforce, please see case number 00189818 for details.
3/05/2022	190433	Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Brick or concrete pavers</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Tree roots have lifted footpath in a way that makes the path inaccessible to wheelchairs. Snap send solve 2265029</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	47 DULVERTON ST, AMAROO ACT 2914	AMAROO	WR50877	484990	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
24/05/2022	196840	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information One slab of footpath is higher than next one causing a possible trip hazard in two different places Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	5 MEERUP ST, AMAROO ACT 2914	AMAROO	WR52466	500972	WR52466 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
31/05/2022	198646	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Path is all broken up creating an accessibility issue when using a mobility scooter. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	34 CORRINGLE CL, AMAROO ACT 2914	AMAROO	WR52866	505745	WR52866 has been closed in Assetic by Tamanna Rahman. Comments: Linked Work Order has been assessed.
31/05/2022	198647	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information There is about a 5inch drop in the footpath. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	22 CORRINGLE CL, AMAROO ACT 2914	AMAROO	WR52867	505747	WR52867 has been closed in Assetic by Tamanna Rahman. Comments: Linked Work Order has been assessed.
4/06/2022	199964	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Major trip hazard concern for elderly residents caused by government tree Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	9 CLARA CL, AMAROO ACT 2914	AMAROO	WR53210	508944	WR53210 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
8/06/2022	201312	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? weekend wild weather had land tents in my drivewa Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No</p>	SLIM DUSTY CCT, MONCRIEFF ACT 2914	MONCRIEFF	WR53508	512285	
17/06/2022	203617	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	<p>Issue Description New path and gutter was installed today but it has taken out 20% of my lawn I would like to speak with someone about how big an area they have concreted. Only requested the gutter smoothed out</p>	DULVERTON ST, AMAROO ACT 2914	AMAROO		517952	WR54218 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.Hi Leah, I have attached a photo that was on WO1351 indicating how the kerb and yard appeared before the concrete was placed. I have also attache...
19/06/2022	203846	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Path has dropped and caused me to trip and fall. Hit my head, split my chin and smashed my glasses. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes</p>	6 CHIESA ST, FORDE ACT 2914	FORDE	WR57207	518368	WR57207 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.
24/06/2022	205503	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete What is the damage? Cracked, broken or uneven More Information The temporary repair to the footpath in front of our house, in addition to looking incredibly ugly is completely unsafe. There are rocks/stones that keep falling out from the "repair" &amp; have become an even bigger trip hazard than the original issue Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes</p>	5 ALLNUTT CR, FORDE ACT 2914	FORDE		522492	WR54761 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.
26/06/2022	205823	Fix My Street > Water > Kerbs & gutters > Damage to path or other	<p>What is the material? Unknown/other What is the damage? Cracked, broken or uneven More Information Water leak on nature strip Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No</p>	47 ADA BAKER ST, FORDE ACT 2914	FORDE		523059	WR54848 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.




Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
2/08/2022	215277	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Yesterday a pregnant lady trip and fell. An ambulance was called. The path of concern is on Burdekin Ave near the bus stops. This a very busy area in the afternoons as it is used by the 2 schools. Staff at Amaroo School witnessed and assisted.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	116 BURDEKIN AV, AMAROO ACT 2914	AMAROO	WR57799	547345	WR57799 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
2/08/2022	215358	Water > Kerbs & gutters > Street & path sweeping	<p>What is the debris or material? Leaves, branches creating slippery driving</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>	65 DIAMOND ST, AMAROO ACT 2914	AMAROO	WR57821	547554	
9/08/2022	217280	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? leaf litter</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	23 LENNARD ST, AMAROO ACT 2914	AMAROO	WR58629	551875	
11/08/2022	217926	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Garbage truck left trail of oil all over the road</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	15 WARUP ST, MONCRIEFF ACT 2914	MONCRIEFF	WR58904	553519	
1/09/2022	223946	Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Footpath at control joint has lifted 1-2 cm and is starting to become a trip hazard.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	24 and 26 Pooley Street	FORDE	WR69792	566490	Workrequest WO62057 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
12/09/2022	226519	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Foot path [REDACTED] and drive way is uneven. It's causing low cars to grind their under mount as getting on and off drive way. 2nd the foot path has sunk around the bend as per pics</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	11 JUSTICE KELLY ST, FORDE ACT 2914	FORDE	WR61878	571789	WR61878 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.
14/09/2022	227358	Fix My Street > Cycle & footpaths > Shared paths > Blocking the path	<p>What is causing the obstruction? Other</p> <p>More Information The white car's been parking on the pathway every now and then and many pedestrians like students and elders had to step on the muddy grass or across the road.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	11 RODERICK ST, AMAROO ACT 2914	AMAROO		573524	WR62234 has been rejected in Assetic by Jonathon Corby. Rejection reason: forward to parking operations
7/10/2022	235653	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	<p>Issue Description Snap Send Solve - Accessibility - Only footpath, it is always covered in water, area around is soggy. All people need to walk in the street, nature strip now planted with trees. Image attached.</p>	36 WANDERER CT, AMAROO ACT 2914	AMAROO		589271	WR65049 has been rejected in Assetic by Jonathon Corby. Rejection reason: area is located at the bottom of a spring
9/10/2022	236061	Fix My Street > Water > Kerbs & gutters > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The storm drain appears blocked and channeling water down the street. Blocked drain is approx. in front of 34 Tarrabool St, Amaroo.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	34 TARRABOOL ST, AMAROO ACT 2914	Amaroo		589803	WR65305 has been cancelled in Assetic by Graeme Roughton. Cancelled reason: Work Request has been cancelled.CSRM Case Number : 00236061 Requester Contact Name: Anonymous Phone Number: Initial enquiry info only. See CSRM for additional correspondence...
9/10/2022	236138	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Leaf debris</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>	15 DICKINS ST, FORDE ACT 2914	FORDE	WR65344	589895	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
12/10/2022	237718	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	Issue Description The foot path connecting jimmy little Street and horse park drive floods regularly and does not drain. It has been filled with still water for the last 3 months making it completely unusable.	JIMMY LITTLE ST, MONCRIEFF ACT 2914	MONCRIEFF		592631	WR66085 has been rejected in Assetic by Jonathon Corby. Rejection reason: swale drain
13/10/2022	238155	Fix My Street > Cycle & footpaths > Shared paths > New path or extension request	Why do you believe this change is required The continuation of the existing footpath to the curb needs to be completed. Many residents have prams or use a wheel chair and find it difficult and dangerous to wait to cross the road on the road. What are you requesting? Extension to an existing path	51 HELEN LEONARD CR, FORDE ACT 2914	FORDE	WR66266	593366	
15/10/2022	238851	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? timber offcuts on corner of david walsh and horsep Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? No	No Nearby Address	FORDE	WR66514	594855	
17/10/2022	239309	Cycle & footpaths > On road cycle lanes > Damage to path or other	What is the material? Unknown/other What is the damage? Cracked, broken or uneven More Information Me and my husband was passing through that road and there was two big whole in the road and our car?s front two tyres were damaged. It was raining that night. We have to buy new tyres. I also have taken the photos of that broken road in Ford. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	51 HELEN LEONARD CR, FORDE ACT 2914	FORDE	WR66684	595418	
17/10/2022	239686	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Broken glass and metal from burnt out cars. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	No Nearby Address	AMAROO	WR66802	596122	
29/10/2022	244473	Car parked on pedestrian pathway on limb circuit Moncrieff	Walking tonight we noticed a car parked dangerously on the pedestrian path on Limb Circuit Moncrieff.	40 LIMB CCT, MONCRIEFF ACT 2914	MONCRIEFF		604443	WR68712 has been cancelled in Assetic by Bunnarith Seng. Cancelled reason: Work Request has been cancelled.Closing this enquiry in Assetic so it can be redirected to Parking Operations via Salesforce.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
3/11/2022	246837	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Cracked, broken or uneven More Information The tree outside 20 Lennard St Amaroo roots are lifting and cracking the rear driveway of 1 Conjola, it has lifted by over 50 mm and is a trip hazard. Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	1 CONJOLA CL, AMAROO ACT 2914	AMAROO	WR69731	608172	WR69731 has been closed in Assetic by Arun Yadav. Comments: Linked Work Order has been assessed.
6/11/2022	247989	Fix My Street > Cycle & footpaths > Shared paths > Debris on path	What is the debris or material? Shopping Kmart trolley Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	10 MAX PURNELL ST, FORDE ACT 2914	FORDE		609827	WR70177 has been rejected in Assetic by Jonathon Corby. Rejection reason: refer to city rangers
14/11/2022	251383	Fix My Street > Cycle & footpaths > Shared paths > Accessibility issues	Issue Description Two trees have fallen across the paths near my home, one last night and the second about 15 minutes ago.	35 DIAMOND ST, AMAROO ACT 2914	AMAROO		615627	WR71381 has been rejected in Assetic by Jonathon Corby. Rejection reason: refer to UTS
15/11/2022	251798	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? potholes Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	DAVID WALSH AV, FORDE ACT 2914	FORDE	WR71512	616341	WR71512 has been closed in Assetic by Shane Cox. Comments: Linked Work Order has been assessed.
18/11/2022	253070	Parking half on footpath and littering by parent drop off lady and children to Edge Preschool - Ngunnawal	Walking my dog north along to pass 56 Yarrawonga St, Ngunnawal ACT 2913 (at around 7.40am this morning) and woman parked half over footpath when half full carpark (no further away) available. I therefore needed to move onto road to get past, at that time older child got out of the vehicle and threw a banana skin across road towards properties offsite (seemingly on instruction of mother). I will attach photos of car on footpath and the half empty carpark. Please pass onto rangers to issue something to the mother/owner of vehicle)	7 NAAS CL, AMAROO ACT 2914	AMAROO		618546	
29/11/2022	257432	Fix My Street > Cycle & footpaths > On road cycle lanes > Debris on path	What is the debris or material? Large quantity of broken glass Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	THE ENTRANCE UNIT 9 23 CARSTAIRS CCT, AMAROO ACT 2914	AMAROO	WR73197	625732	
4/12/2022	258749	Fix My Street > Cycle & footpaths > Fencing & bollards > Request new	More Information Lack of bollards result in cars driving on footpath creating dangerous situation for pedestrians	THE PARK UNIT 21 30 BON SCOTT CR, MONCRIEFF ACT 2914	MONCRIEFF	WR89961	628014	


Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
4/12/2022	258913	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Cracked / Damaged trip hazard.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	3 MEERUP ST, AMAROO ACT 2914	AMAROO	WR73563	628212	WR73563 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
8/12/2022	260249	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Growing tree root has caused the footpath to lift. This has caused a bit gap.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	36 BYWATERS ST, AMAROO ACT 2914	Amaroo	WR73934	630602	WR73934 has been closed in Assetic by Tamanna Rahman. Comments: Linked Work Order has been assessed.
8/12/2022	260441	Fix My Street > Cycle & footpaths > Shared paths > Blocking the path	<p>What is causing the obstruction? Other</p> <p>More Information It's an active street for kids going to and from school School kids and their parents have to swerve The car has been parked on the footpath</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	15 LEVEN ST, AMAROO ACT 2914	AMAROO		630943	WR73986 has been rejected in Assetic by Jonathon Corby. Rejection reason: refer to parking operations
9/12/2022	260730	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Very dangerous children have tripped over on the way to school.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	5 MEERUP ST, AMAROO ACT 2914	AMAROO	WR74072	631447	WR74072 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
12/12/2022	261198	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information Footpath , and driveway section in public area has sunken. It was marked for repair. And , uneven nature of surface was fixed using asphalt. This wasn't sealed properly so loose asphalt is crumbling away on road, potentially dangerous to bikers.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	11 JUSTICE KELLY ST, FORDE ACT 2914	FORDE		632113	WR74179 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Linked Work Order WO58753 has been cancelled.
16/12/2022	262744	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information Concrete path in front of 13 Buchan Crescent Forde has sunken in multiple areas and large cracks have opened up between slabs. 2 people have tripped over recently and children's scooter wheels and skate boards jam in cracks or level change in slab.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	13 BUCHAN CR, FORDE ACT 2914	FORDE	WR74548	634926	WR74548 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
21/12/2022	264032	Cycle & footpaths > Shared paths > Litter & illegal dumping	<p>What are you reporting? Other e.g. litter/material/debris</p> <p>More Information vehicle being illegally parked on footpath/nature strip and when the lazy owner decides she needs it cleaned out she opens the door and throws her rubbish onto the footpath/nature strip.</p> <p>Vehicle registration YLR94T</p> <p>Is it posing a safety hazard? Yes</p>	 MONCRIEFF ACT 2914	MONCRIEFF		637127	WR74911 has been rejected in Assetic by Jonathon Corby. Rejection reason: fwd to city rangers

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
23/12/2022	264573	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information A couple of months ago Evo Energy dug up the footpath to dig a trench to fix the electricity. They did not replace the footpath and have left it with large holes which members of the public have tripped on. It is a large safety concern</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	1 AUGUSTA PL, AMAROO ACT 2914	AMAROO		638267	WR87638 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled. Did not locate missing path at Location Description or map location provided by Requester.
9/01/2023	268133	Fix My Street > Cycle & footpaths > On road cycle lanes > Debris on path	<p>What is the debris or material? Broken glass is on the on road bike lane on Horse Park Drive from Mulligans Flat Rd to David Walsh Rd. There are three major patches which cover the whole lane</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	THE ENTRANCE UNIT 8 23 CARSTAIRS CCT, AMAROO ACT 2914	AMAROO	WR76105	643281	
20/01/2023	272143	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Sunken or collapsed</p> <p>More Information See attached photo, path has dropped 50mm causing tripping hazard</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	31 MORNINGTON ST, AMAROO ACT 2914	AMAROO	WR77085	650705	WR77085 has been closed in Assetic by Tony Newman. Comments: Linked Work Order has been assessed.
23/01/2023	272810	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Broken glass</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	55 PAQUITA ST, FORDE ACT 2914	FORDE	WR77254	651757	
26/01/2023	273748	Fix My Street > Cycle & footpaths > Shared paths > Blocking the path	<p>What is causing the obstruction? Other</p> <p>More Information A Kmart shopping trolley is blocking the path</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? No</p>	14 MAX PURNELL ST, FORDE ACT 2914	FORDE		653600	WR77485 has been rejected in Assetic by Jonathon Corby. Rejection reason: trolley tracker

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
27/01/2023	273966	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information See attached image</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>		AMAROO	WR77532	653921	
29/01/2023	274383	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Severely raised foot path that is getting higher quickly. Lots of kids use the path and have to swerve it so it's too uneven. Elderly lady in electric wheelchair has difficulty passing</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	21 RODERICK ST, AMAROO ACT 2914	AMAROO	WR77643	655665	WR77643 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
30/01/2023	274932	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information I am inquiring on my mother's behalf if she is entitled to claim for footpath damage which occurred on 3 December 2022. My mother tripped &amp; sustained a head injury, heavy bruising and concussion. She has ongoing muscle, soft tissue &amp; migraine pain.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	4 OKE ST, FORDE ACT 2914. This occurred in front of 4 Oke Street Forde, ACT.	FORDE	WR77768	656654	WR77768 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.



Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
31/01/2023	275399	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Unknown/other</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The gravel footpath on the corner of 1 Augusta Place was dug up by Evo Energy to reach a fault line and was never replaced. There are holes and uneven surfaces left behind which have caused members of the public to trip and fall. It is a safety hazard</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	1 AUGUSTA PL, AMAROO ACT 2914	AMAROO		657541	WR77899 has been rejected in Assetic by Andrew Forster. Rejection reason: see comments feed. This damage was caused by Telstra.
6/02/2023	277557	Fix My Street > Cycle & footpaths > On road cycle lanes > Debris on path	<p>What is the debris or material? There is broken glass covering the entire on road bike lane &amp; the bike access ramp on Horse Park Drive , heading S/SE towards Fed Hwy where it intersects with Katherine Ave. I complained about this pre-Christmas &amp; nothing has been done. Pls clean</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	 AMAROO ACT 2914	AMAROO	WR78497	662400	
8/02/2023	278414	Fix My Street > Cycle & footpaths > Shared paths > Blocking the path	<p>What is causing the obstruction? Builders/construction equipment or unauthorised signs</p> <p>More Information Temporary fencing blocking footpath and shipping container on nature strip for over 6 months. Location has driveway access, but constructing new driveway and is not fenced off. Safety issue.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	4 RETZ CR, FORDE ACT 2914	FORDE		664236	WR78723 has been rejected in Assetic by Jonathon Corby. Rejection reason: licencing and compliance
13/02/2023	279725	Cycle & footpaths > Shared paths > Litter & illegal dumping	<p>Who is the trolley owner? Unknown</p> <p>What are you reporting? Shopping trolley</p> <p>More Information Two trolleys on Gussey Street Moncrieff by the park. One smashed and on nature strip and one was on the road but I pulled it onto the verge so that it wasn't a danger to traffic</p> <p>Is it posing a safety hazard? Yes</p>	Gussey street Moncrieff	MONCRIEFF		666965	WR81259 has been rejected in Assetic by Jonathon Corby. Rejection reason: trolley tracker

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
28/02/2023	295172	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Had workmen out almost a year (13th March 2022) to fix all the footpaths they had mark this part of the footpath and never came back to fix it lots of children and adults and dogs use this footpath and worried someone will get injured.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	20 DIAMOND ST, AMAROO ACT 2914	AMAROO	WR79791	677602	WR79791 has been closed in Assetic by Luke Halgren. Comments: Linked Work Order has been assessed.
20/03/2023	302092	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Footpath lifting from street tree root. Tree has recently been removed by TCCS</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	16 JACK RYAN ST, FORDE ACT 2914	FORDE	WR81808	690147	WR81808 has been closed in Assetic by Frank Cortes. Comments: Linked Work Order has been assessed.
26/03/2023	303828	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Glass and other debris on road</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>	2 BURDEKIN AV, AMAROO ACT 2914	AMAROO	WR82338	693841	WR82338 has been closed in Assetic by NeetiX Chahal. Comments: Linked Work Order has been assessed.
6/04/2023	306654	Fix My Street > Cycle & footpaths > Shared paths > Blocking the path	<p>What is causing the obstruction? Other</p> <p>More Information This car parked with ACT plates and NSW parks over the footpath. I can't get my double stroller past it every morning. Also been running at night and have hit my knee of the front of there car.</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	22 MORNINGTON ST, AMAROO ACT 2914	AMAROO		699997	WR82959 has been rejected in Assetic by Jonathon Corby. Rejection reason: parking operations
6/04/2023	306669	Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? Debris (glass) at bus stop 6106</p> <p>Is it causing traffic or cyclists to swerve? No</p> <p>Could it cause a trip, fall or injury? Yes</p>	351 MIRRABEI DR, MONCRIEFF ACT 2914	MONCRIEFF	WR82961	700039	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
20/04/2023	310035	Cycle & footpaths > Shared paths > Litter & illegal dumping	<p>What are you reporting? Other e.g. litter/material/debris More Information A lady from ██████████ in Amaroo, is dumping her house hold rubbish into the fire escape and into trolleys around the place, police and housing have been contacted but nothing has been done and customer doesn't know what else to do. Is it posing a safety hazard? Yes</p>	██████████ AMAROO ACT 2914	AMAROO		706135	WR83627 has been rejected in Assetic by Jonathon Corby. Rejection reason: city rangers if on public land
25/04/2023	311036	Fix My Street > Cycle & footpaths > Shared paths > Service pit issues	<p>Please provide more information to help us resolve this issue Covers providing access to light pole electrical are loose or have been removed along Horse Park Drive between Gaston Way and Mirabei Drive Moncrieff Can you identify the service pit type? Other</p>	██████████ MONCRIEFF ACT 2914	MONCRIEFF	WR83804	708036	
2/05/2023	312972	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete What is the damage? Cracked, broken or uneven More Information Pavement is uneven, it is dangerous for anyone who would use a bike/scooter/pram/wheelchair or any other method of transport. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes</p>	12 POOLEY ST, FORDE ACT 2914	FORDE	WR84197	711769	Workrequest WO68410 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
2/05/2023	312974	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete What is the damage? Cracked, broken or uneven More Information The pavement is uneven. It has caused my children to almost fall off their scooters multiple times when we walk on this path. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes</p>	4 POOLEY ST, FORDE ACT 2914	Forde		711773	WR84198 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Work Request has been cancelled.Searched extensively in this location but could not find defect. Called requester but did not answer.

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
2/05/2023	312985	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information Pavement is uneven. It is also dangerous for anyone who would use a method of transport with wheels NOTE: This is similar to another report i've made, but 2 separate locations, on the same street</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	4 POOLEY ST, FORDE ACT 2914	FORDE	WR84199	711788	Workrequest WO68401 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
2/05/2023	313088	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The pathway is uneven. It is a tripping hazard and dangerous for anyone who uses this foot path. Especially if someone uses a bike/scooter/wheelchair/pram etc.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	6 CHIESA ST, FORDE ACT 2914	FORDE	WR84217	711985	Workrequest WO68487 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
2/05/2023	313093	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The pathway is uneven. It is a tripping hazard and dangerous for anyone who uses this foot path. Especially if someone uses a bike/scooter/wheelchair/pram etc.</p> <p>Note: This spot is uneven in two spots.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	12 CHIESA ST, FORDE ACT 2914	FORDE	WR84218	711990	Workrequest WO68485 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
2/05/2023	313095	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Cracked, broken or uneven</p> <p>More Information The pathway is uneven. It is a tripping hazard and dangerous for anyone who uses this foot path. You need to swerve if using something wheels. Children would be most impacted. This section has several spots that need addressing</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	75 AMY ACKMAN ST, FORDE ACT 2914	FORDE	WR84219	711994	Workrequest WO68397 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)
8/05/2023	314678	Water > Kerbs & gutters > Street & path sweeping	<p>What is the debris or material? leaves</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	MAGENTA SQ, AMAROO ACT 2914	AMAROO	WR86932	714311	
8/05/2023	314681	Water > Kerbs & gutters > Street & path sweeping	<p>What is the debris or material? Leaves - masses. Going down drains, slippery.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	MAGENTA SQ, AMAROO ACT 2914	AMAROO	WR86929	714312	
9/05/2023	315333	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>What is the material? Concrete</p> <p>What is the damage? Uplifting due to tree root</p> <p>More Information Footpath sufficiently lifted to cause trip hazard or bicycle accident.</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? Yes</p>	34 BUCKINGHAM ST, AMAROO ACT 2914	AMAROO	WR84662	715556	Workrequest WO68808 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
21/05/2023	318784	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	<p>What is the debris or material? broken glass from a recent accident</p> <p>Is it causing traffic or cyclists to swerve? Yes</p> <p>Could it cause a trip, fall or injury? No</p>	David Walsh Avenue	FORDE	WR86529	728154	

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
4/06/2023	322546	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaves /sticks which are filling drains Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No	27 ROLLSTON ST, AMAROO ACT 2914	AMAROO		735184	
5/06/2023	322859	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaf litter from deciduous trees Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? No	6 RICKMAN ST, FORDE ACT 2914	FORDE	WR87891	735717	
18/06/2023	325949	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? range of debris from an accident and storms. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? No	Horse Park Drive	FORDE	WR86885	741521	
5/07/2023	330307	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaves Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	2 COMET ST, AMAROO ACT 2914	AMAROO		749716	
10/07/2023	331688	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaves in gutter. Blocking drain, wet, slippery Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? Yes	[REDACTED] BARRINGTON CR, AMAROO ACT 2914	AMAROO	WR88655	752154	WR88655 has been closed in Assetic by NeetiX Chahal. Comments: Linked Work Order has been assessed.
10/07/2023	331753	Fix My Street > Cycle & footpaths > On road cycle lanes > Litter & illegal dumping	What are you reporting? Other e.g. litter/material/debris More Information The green area between Katherine Ave and Mornington Street needs to be cleaned up. There is lots of rubbish being dumped and blowing into the area from construction sites. Is it posing a safety hazard? No	[REDACTED] AMAROO ACT 2914	AMAROO		752229	
17/07/2023	333202	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Uplifting due to tree root Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	58 BIZANT ST, AMAROO ACT 2914	AMAROO	WR88935	754466	Workrequest WO71109 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
21/07/2023	334668	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Leaves making the road very slippery Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	78 DIAMOND ST, AMAROO ACT 2914	AMAROO	WR89485	757594	WR89485 has been closed in Assetic by NeetiX Chahal. Comments: Linked Work Order has been assessed.
14/08/2023	340522	Fix My Street > Cycle & footpaths > Shared paths > New path or extension request	Why do you believe this change is required Path is breaking up has cracks & is dangerous What are you requesting? New path	38 BENAROON CCT, AMAROO ACT 2914	AMAROO	WR91058	770187	Workrequest WO72541 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
15/08/2023	340673	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	What is the material? Concrete What is the damage? Sunken or collapsed More Information Reported first in May-June 2022 and December 2022. Foot path and section of drive way has sunk in public land, causing damage to under carriage of vehicle. The temp fix with bitumen is unsafe and bringing bitumen inside garage & house. Is it causing traffic or cyclists to swerve? Yes Could it cause a trip, fall or injury? Yes	11 JUSTICE KELLY ST, FORDE ACT 2914	FORDE		770508	WR91102 has been cancelled in Assetic by Frank Cortes. Cancelled reason: Linked Work Order WO58753 has been cancelled.
23/08/2023	342326	Fix My Street > Roads, parking & vehicles > Roads & traffic > Street & path sweeping	What is the debris or material? Stones Is it causing traffic or cyclists to swerve? No Could it cause a trip, fall or injury? No	67 HIBBERD CR, FORDE ACT 2914	FORDE		774675	
24/08/2023	343185	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	More Information Uneven footpath caused a trip that resulted in multiple injury requiring hospital and follow up medical assessment. Is it causing traffic or cyclists to swerve? No What is the material? Concrete What is the damage? Cracked, broken or uneven Could it cause a trip, fall or injury? Yes	15 FRANCIS FORDE BVD, FORDE ACT 2914	FORDE	WR91776	775583	Workrequest WO73015 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)

Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
25/08/2023	343248	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>More Information</p> <p>My mum tripped over on this uneven footpath and hurt her knee</p> <p>Is it causing traffic or cyclists to swerve?</p> <p>Yes</p> <p>What is the material?</p> <p>Concrete</p> <p>What is the damage?</p> <p>Cracked, broken or uneven</p> <p>Could it cause a trip, fall or injury?</p> <p>Yes</p>	15 MORNINGTON ST, AMAROO ACT 2914	AMAROO	WR91791	775688	Workrequest WO72926 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)
31/08/2023	344812	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>More Information</p> <p>The footpath at the end of my driveway has sunk and is a bit of a hazard</p> <p>Is it causing traffic or cyclists to swerve?</p> <p>No</p> <p>What is the material?</p> <p>Concrete</p> <p>What is the damage?</p> <p>Cracked, broken or uneven</p> <p>Could it cause a trip, fall or injury?</p> <p>Yes</p>	9 JUSTICE KELLY ST, FORDE ACT 2914	FORDE	WR92188	778564	Workrequest WO73130 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Serious (10 days)
2/09/2023	345270	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>More Information</p> <p>██████████ there are two areas where the concrete pathway has been significantly uplifted due to tree roots. These areas are regularly used by a substantial number of children who ride their bikes to school and parents with prams.</p> <p>Is it causing traffic or cyclists to swerve?</p> <p>Yes</p> <p>What is the material?</p> <p>Concrete</p> <p>What is the damage?</p> <p>Uplifting due to tree root</p> <p>Could it cause a trip, fall or injury?</p> <p>Yes</p>	41 BEVERIDGE CR, FORDE ACT 2914	FORDE	WR92295	779538	Workrequest WO73165 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of Very Low Risk (18 months)



Date/Time Opened	Case Number	Subject	ACTCCS Description	Incident Address	Suburb	Assetic Work Request ID	AC Case Number	Assetic Status Comments
14/09/2023	348642	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>More Information</p> <p>The concrete path has lifted in several places. Some of the lifting is about an inch which is quite dangerous to people walking, riding bikes or scooters. This street is quite busy during Halloween which could result in an injury.</p> <p>Is it causing traffic or cyclists to swerve?</p> <p>Yes</p> <p>What is the material?</p> <p>Concrete</p> <p>What is the damage?</p> <p>Uplifting due to tree root</p> <p>Could it cause a trip, fall or injury?</p> <p>Yes</p>	11 BEVERIDGE CR, FORDE ACT 2914	Forde	WR93142	785452	Workrequest WO74176 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)
28/09/2023	352440	Fix My Street > Cycle & footpaths > Shared paths > Damage to path or other	<p>More Information</p> <p>Location: in front of 4 Buckingham st, amaroo, the concrete path is uplifting trapping on pedestrians</p> <p>Is it causing traffic or cyclists to swerve?</p> <p>No</p> <p>What is the material?</p> <p>Concrete</p> <p>What is the damage?</p> <p>Uplifting due to tree root</p> <p>Could it cause a trip, fall or injury?</p> <p>Yes</p>	4 BUCKINGHAM ST, AMAROO ACT 2914	AMAROO	WR94160	792194	Workrequest WO74599 is in progress. WorkOrder Corrective Maintenance has been raised in Assetic with a priority of High Risk (14 days)

Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WO24779	TCOMP	31/07/2020 10:40 AM	Cycle & footpaths Shared paths Damage to path or other; 13 Meerup St, Amaroo ACT 2914, Australia	WO24779 : Contact UTS for tree root issues ***Last updated by Mohammad Ohiduzzaman***31/07/2020 10:40:34 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Assessment	CCK, CCK-01, Concrete - Cracked or displaced, Horizontal displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	13 Meerup St, Amaroo ACT 2914, Australia
WO25110	ASSESS	14/08/2020 11:27 AM	Cycle & footpaths; Shared paths; Damage to path or other; Lockhart place	WO25110 : Not found ***Last updated by Richard Sliwinski***15/10/2020 8:44:30 AM , WO25110 : Contact UTS for tree ***Last updated by [REDACTED] *14/08/2020 11:27:27 AM	4	Very Low Risk (18 months)	15/10/2020 7:43 AM	Concrete - RM	CM - Corrective	CCK, CCK-01, Concrete - Cracked or displaced, Horizontal displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Coldmix	COPA43295	SHOALHAVEN AVENUE ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	Unit 1/3 Annan Cl, Amaroo ACT 2914, Australia
WO25179	PREP	19/08/2020 12:04 PM	Cycle & footpaths Shared paths Damage to path or other 88 WANDERER CT, AMAROO	WO25179 : Needs Crack Sealing, Weed Spraying, patching and relaying. Two patching jobs. The relaying job is been done on an intersection. Patch 1 = 16.5m^2 Patch 2 = 12.25^2 ***Last updated by [REDACTED] *27/01/2022 4:15:31 PM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	ACTU, ACTU-01, AC - Trip or undulation, Vertical displacement (15-50mm)	ENV, ENV-01, Environmental, Weather	Panel replacement	COPA43489	WANDERER COURT PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Pathways	Concrete - RM	Community Path	Asphalt	AMAROO	88 Wanderer Ct, Amaroo ACT 2914, Australia
WO25326	TCOMP	25/08/2020 11:09 AM	Cycle & footpaths Shared paths Damage to path or other; 74 MAX PURNELL ST, FORDE	WO25326 : Match the level of existing pit and slab ***Last updated by [REDACTED] *25/08/2020 11:09:51 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-01, Environmental, Weather	Panel replacement	COPA50814	FELL STREET,MAX PURNELL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	74 Max Purnell St, Forde ACT 2914, Australia
WO26248	TCOMP	15/09/2020 12:53 PM	Cycle & footpaths Shared paths Damage to path or other	WO26248 : Contact UTS for tree root issues ***Last updated by [REDACTED] *15/09/2020 12:53:38 PM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA48891	MILJANOVIC STREET,PAQUITA STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	14 Paquita St, Forde ACT 2914, Australia
WO26908	PREP	09/10/2020 10:30 AM	Cycle & footpaths Shared paths Damage to path or other; 28 BARRINGTON CR, AMAROO	WO26908 : Needs multiple patching, breaking edges, relaying, crack sealing. Has minor undulations. patch 1 = 33m^2 patch 2 = 2.38m^2 patch 3 = 13.25m^2 ***Last updated by [REDACTED] *27/01/2022 4:17:58 PM , WO26908 : Contact UTS for tree root issues ***Last updated by [REDACTED] *9/10/2020 10:30:31 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	ACTU, ACTU-01, AC - Trip or undulation, Vertical displacement (15-50mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43493	BARRINGTON CRESCENT PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Pathways	Concrete - RM	Community Path	Asphalt	AMAROO	30 Barrington Cres, Amaroo ACT 2914, Australia
WO26988	ASSESS	12/10/2020 12:49 PM	Cycle & footpaths Shared paths Damage to path or other; 18 SAXBY CL, AMAROO	WO26988 : Legacy work order moved to ASSESS based on 10% onsite inspection of all outstanding work orders identified prior to June 2022 ***Last updated by Thinley Gyem***27/04/2023 12:54:31 PM	4	Very Low Risk (18 months)	23/10/2020 11:35 AM	Concrete - RM	CM - Corrective	CCK, CCK-01, Concrete - Cracked or displaced, Horizontal displacement (15-35mm)	ENV, ENV-01, Environmental, Weather	Grinding	COPA43354	CORRINGLE CLOSE NEIGHBOURHOOD PARK CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	18 Saxby Cl, Amaroo ACT 2914, Australia
WO27661	ASSESS	29/10/2020 12:30 PM	Cycle & footpaths On road cycle lanes Damage to path or other; Rollston Street, Amaroo	WO27661 : Legacy work order moved to ASSESS based on 10% onsite inspection of all outstanding work orders identified prior to June 2022 ***Last updated by Thinley Gyem***27/04/2023 12:56:50 PM	5	Change (180 days)	12/11/2020 11:54 AM	Concrete - RM	CM - Corrective	DSP, DSP-01, Displaced, Displaced	ENV, ENV-01, Environmental, Weather	Grind	PRCR06321	ROLLSTON STREET,YANTARA STREET CONCRETE PRAM CROSSING	Pathways	Concrete - RM	Pram Crossing	Concrete	AMAROO	22 Yantara St, Amaroo ACT 2914, Australia
WO28740	ASSESS	16/11/2020 10:54 AM	Cycle & footpaths Shared paths Damage to path or other; 70 SHOALHAVEN AV, AMAROO	WO28740 : Legacy work order moved to ASSESS based on 10% onsite inspection of all outstanding work orders identified prior to June 2022 ***Last updated by Thinley Gyem***27/04/2023 12:57:27 PM , WO28740 : Opposit to 72 Shoalhaven ave ***Last updated by [REDACTED] *16/11/2020 10:54:42 AM	4	Very Low Risk (18 months)	18/11/2020 8:35 AM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-01, Environmental, Weather	Grinding	COPA43235	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	10 Star Cl, Amaroo ACT 2914, Australia

Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WO30133	TCOMP	03/12/2020 11:43 AM	Cycle & footpaths On road cycle lanes Damage to path or other; 30 BUCKINGHAM ST, AMAROO	WO30133 : Contact UTs for tree root ***Last updated by [REDACTED] *3/12/2020 11:43:13 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46807	BUCKINGHAM STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	20 Buckingham St, Amaroo ACT 2914, Australia
WO31	ASSESS	22/05/2020 1:49 PM	Cycle & footpaths Shared paths Damage to path or other		5	Change (180 days)	25/09/2020 12:00 AM	Concrete - RM	CM - Corrective	DSP, DSP-01, Displaced, Displaced	ENV, ENV-01, Environmental, Weather	Coldmix	DRIV47275	BENAROOON CIRCUIT CONCRETE DRIVEWAY	Hard Surfaces	Concrete - RM	Hard Surface	Concrete	AMAROO	35 Katherine Ave, Amaroo ACT 2914, Australia
WO41098	TCOMP	06/07/2021 11:57 AM	Cycle & footpaths > Shared paths > Damage to path or other; 8 BROMHAM ST, FORDE	WO41098 : Grind path as marked to make safe ***Last updated by [REDACTED] *6/07/2021 11:58:15 AM	4	Very Low Risk (18 months)	08/07/2021 9:15 AM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Grinding	COPA51926	BROMHAM STREET,PAHLMAN STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	8 Bromham St, Forde ACT 2914, Australia
WO41431	ASSESS	13/07/2021 2:31 PM	Cycle & footpaths > Shared paths > Damage to path or other - 42 KATHERINE AV, AMAROO	WO41431 : Grind uplifted path at 7 points. ***Last updated by Frank Cortes***13/07/2021 2:34:21 PM	4	Very Low Risk (18 months)	19/07/2021 8:53 AM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Grinding	COPA46476	KATHERINE AVENUE,CLARENDON STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	Katherine Av before Clarendon St, Amaroo ACT 2914, Australia
WO44553	ASSESS	05/10/2021 1:51 PM	Cycle & footpaths > Shared paths > Damage to path or other - 1 TIMBORAM ST, AMAROO	WO44553 : At time of inspection path was raised 25mm at worst point. ***Last updated by Frank Cortes***5/10/2021 2:00:39 PM , WO44553 : Grind uplifted path to make safe. ***Last updated by Frank Cortes***5/10/2021 1:52:39 PM	4	Very Low Risk (18 months)	07/10/2021 3:43 PM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Grinding	COPA43284	KATHERINE AVENUE,MARRETT STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	Katherine Av before Timboram St, Amaroo ACT 2914, Australia
WO44555	ASSESS	05/10/2021 2:32 PM	Cycle & footpaths > Shared paths > Damage to path or other - 49 ROLLSTON ST, AMAROO	WO44555 : 6.48 m2 ***Last updated by [REDACTED] *28/08/2023 1:20:23 PM , WO44555 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:30 AM , WO44555 : Replace uplifted and damaged footpath. Contact UTs for tree roots. ***Last updated by Frank Cortes***5/10/2021 2:32:58 PM	2	High Risk (14 days)	25/08/2023 1:19 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46061	WELLESLEY STREET PEDESTRIAN PARKLAND CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	49 Rollston St, Amaroo ACT 2914, Australia
WO44559	ASSESS	05/10/2021 3:01 PM	Cycle & footpaths > Shared paths > Damage to path or other - 9 - 11 JESSIE ST, FORDE	WO44559 : Grind uplifted path to make safe. ***Last updated by Frank Cortes***5/10/2021 3:02:21 PM	4	Very Low Risk (18 months)	08/10/2021 4:06 PM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Grinding	COPA48909	DENOON STREET,JESSIE STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	11 Jessie St, Forde ACT 2914, Australia
WO44562	ASSESS	05/10/2021 3:11 PM	Cycle & footpaths > Shared paths > Damage to path or other - 18 PAQUITA ST, FORDE	WO44562 : Grind uplifted path to make safe. ***Last updated by Frank Cortes***5/10/2021 3:12:33 PM	4	Very Low Risk (18 months)	08/10/2021 4:06 PM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Grinding	COPA48891	MILJANOVIC STREET,PAQUITA STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	18 Paquita St, Forde ACT 2914, Australia
WO46991	PREP	07/12/2021 11:52 AM	Cycle & footpaths > Shared paths > Damage to path or other - 2 MARRETT ST, AMAROO on Katherine Avenue.	WO46991 : Tuesday, 22 Feb 2022, 10:39 am Post Today a crew arrived to 'fix' the trip that was reported. I hope that the fix is not considered final. The footpath levels are still 20mm different with now a bitumen ramp. This is still a trip hazard. I do not believe the Government's health and safety obligations have been met and I sincerley hope that the repair will be done correctly by removing part of the path and replacing it .  ***Last updated by Binh Lam***23/02/2022 12:28:56 PM , WO46991 : Replace sunken path to remove trip hazard. ***Last updated by Frank Cortes***7/12/2021 11:54:44 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA43284	KATHERINE AVENUE,MARRETT STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	85 Katherine Ave, Amaroo ACT 2914, Australia
WO47512	PREP	21/12/2021 8:56 AM	Cycle & footpaths > Shared paths > Damage to path or other - 64 BUCKINGHAM ST, AMAROO	WO47512 : Replace damaged path. Ensure path is laid flush with manhole. Contact UTs for tree roots. ***Last updated by Frank Cortes***21/12/2021 8:58:05 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA55477	BUCKINGHAM STREET ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	64 Buckingham St, Amaroo ACT 2914, Australia

Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WO47518	TCOMP	21/12/2021 9:29 AM	Cycle & footpaths > Shared paths > Damage to path or other - 25 BENAROON CCT, AMAROO	WO47518 : Replace damaged concrete path at 25 and 23 Benaroon. Ensure path is flush with communications pit to prevent trip hazard. Contact UTs for tree roots. ***Last updated by Frank Cortes***21/12/2021 9:31:39 AM	4	Very Low Risk (18 months)	31/05/2022 8:16 AM	Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA46548	BENAROON CIRCUIT CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	25 Benaroon Cct, Amaroo ACT 2914, Australia
WO47526	INPRG	21/12/2021 10:02 AM	Cycle & footpaths > Shared paths > Damage to path or other - 20 CORRINGLE CL, AMAROO	WO47526 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:32 AM , WO47526 : Replace uplifted and damaged footpath. Contact UTs for tree roots. Make flush with adjacent driveway to prevent trip hazard. ***Last updated by Frank Cortes***21/12/2021 10:05:16 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43390	NAAS CLOSE,CORRINGLE CLOSE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	20 Corringle Cl, Amaroo ACT 2914, Australia
WO47533	TCOMP	21/12/2021 10:37 AM	Cycle & footpaths > Shared paths > Damage to path or other - 14 MARCUS ST, FORDE	WO47533 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:30 AM , WO47533 : Replace sunken path to make flush with driveway. ***Last updated by Frank Cortes***21/12/2021 10:39:00 AM	2	High Risk (14 days)	05/09/2023 8:45 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA50622	MARCUS STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	14 Marcus St, Forde ACT 2914, Australia
WO49966	PREP	23/02/2022 8:41 AM	Cycle & footpaths > Shared paths > Damage to path or other - 22 RODERICK ST, AMAROO	WO49966 : Replace uplifted concrete path panels at two points in front of 22 Roderick St. Contact UTs for tree roots. Stencilled driveway to be replaced in separate work order. ***Last updated by Frank Cortes***23/02/2022 8:44:37 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43432	LANDER CRESCENT,RODERICK STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	22 Roderick St, Amaroo ACT 2914, Australia
WO51610	ASSESS	30/03/2022 1:21 PM	Cycle & footpaths > Damage to path or other - ASHBROOKE ON 57 UNIT 2 140 KATHERINE AV, AMAROO	WO51610 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:27 AM , WO51610 : Replace damaged concrete path. ***Last updated by Frank Cortes***30/03/2022 1:21:33 PM	2	High Risk (14 days)	28/08/2023 12:09 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA46371	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	Ashbrooke on 57, 140 Katherine Ave, Amaroo ACT 2914, Australia
WO51619	ASSESS	30/03/2022 1:50 PM	Cycle & footpaths > Shared paths > Damage to path or other - 102 - 108 KATHERINE AV, AMAROO	WO51619 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:30 AM , WO51619 : Replace damaged concrete path at 5 points. Contact UTs for tree roots. ***Last updated by Frank Cortes***30/03/2022 2:01:03 PM	2	High Risk (14 days)	25/08/2023 1:17 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43264	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	102 Katherine Ave, Amaroo ACT 2914, Australia
WO51757	ASSESS	01/04/2022 10:13 AM	Cycle & footpaths > Shared paths > Damage to path or other - Between 8 and 20 Diamond St, Amaroo	WO51757 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:32 AM , WO51757 : Advised resident at 6 Diamond St to seek approval for second driveway as they are causing damage to the path. ***Last updated by Frank Cortes***1/04/2022 4:30:58 PM , WO51757 : Replace damaged concrete path at 4 points. Contact UTs for tree roots. ***Last updated by Frank Cortes***1/04/2022 10:28:10 AM	2	High Risk (14 days)	31/08/2023 9:52 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	TPD, TPD-01, Third Party Damage, Third Party Damage	Panel replacement	COPA46429	AUBURN STREET ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	6 Diamond St, Amaroo ACT 2914, Australia
WO52065	ASSESS	08/04/2022 2:50 PM	Cycle & footpaths > Shared paths > Damage to path or other - 27 Roderick St Amaroo	WO52065 : Cold mix asphalt used ***Last updated by Grindstones Australia***19/07/2022 8:23:32 PM , WO52065 : Displaced paths at 27 Roderick street, 2.4L/m ***Last updated by Michael Rootsey***8/04/2022 2:52:12 PM	2	High Risk (14 days)	26/07/2022 12:00 AM	Concrete - RM	CM - Corrective	CCK, CCK-02, Concrete - Cracked or displaced, Horizontal displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Grinding	COPA43434	RODERICK STREET ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	27 Roderick St, Amaroo ACT 2914, Australia

Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WOS5251	TCOMP	26/04/2022 11:59 AM	Cycle & footpaths > On road cycle lanes > Damage to path or other - 5 ALLNUTT CR, FORDE	WOS5251 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:23 AM , WOS5251 : Replace uplifted concrete path. Contact UTs for tree roots. ***Last updated by Frank Cortes***26/04/2022 11:59:58 AM	2	High Risk (14 days)	04/09/2023 7:52 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA51622	AMY ACKMAN STREET,ALLNUTT CRESCENT CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	5 Allnutt Cres, Forde ACT 2914, Australia
WOS5324	ASSESS	11/05/2022 2:02 PM	Cycle & footpaths > Shared paths > Damage to path or other - 3 MEERUP ST, AMAROO	WOS5324 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:31 AM , WOS5324 : Replace uplifted concrete path. Contact UTs for tree roots. ***Last updated by Frank Cortes***11/05/2022 2:03:05 PM	2	High Risk (14 days)	28/08/2023 3:37 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	3 Meerup St, Amaroo ACT 2914, Australia
WOS4055	INPRG	01/06/2022 3:02 PM	Cycle & footpaths > Shared paths > Damage to path or other - 34 CORRINGLE CL, AMAROO	WOS4055 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:26 AM , WOS4055 : Replace 2 sections of path on both sides of the driveway. Contact UTs for tree roots. ***Last updated by Frank Cortes***1/06/2022 3:03:23 PM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43413	SANDOVER CIRCUIT ROAD VERGE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	34 Corringe Cl, Amaroo ACT 2914, Australia
WOS4313	ASSESS	09/06/2022 2:00 PM	Cycle & footpaths > Shared paths > Damage to path or other - 9 CLARA CL, AMAROO	WOS4313 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:27 AM , WOS4313 : Replace uplifted concrete path. Contact UTs for tree roots. ***Last updated by Frank Cortes***9/06/2022 2:01:03 PM	2	High Risk (14 days)	28/08/2023 10:37 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43445	CLARA CLOSE LANEWAY CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	9 Clara Cl, Amaroo ACT 2914, Australia
WOS56612	TCOMP	08/08/2022 10:48 AM	Cycle & footpaths > Shared paths > Damage to path or other - 6 CHIESA ST, FORDE	WOS56612 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:27 AM , WOS56612 : Replace uplifted concrete path to remove trip hazard. Ensure 2% fall to kerb. Contact UTs for tree roots. ***Last updated by Frank Cortes***8/08/2022 10:51:00 AM	2	High Risk (14 days)	05/09/2023 10:41 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA51942	CHIESA STREET,BLADON LANE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	6 Chiesa St, Forde ACT 2914, Australia
WOS56890	ASSESS	12/08/2022 11:12 AM	Cycle & footpaths > Shared paths > Damage to path or other - 116 BURDEKIN AV, AMAROO	WOS56890 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:27 AM , WOS56890 : Replace cracked concrete bus stop hard stand ***Last updated by Frank Cortes***12/08/2022 11:15:10 AM	2	High Risk (14 days)	28/08/2023 11:43 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA43217	BURDEKIN AVENUE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	Amaroo School Burdekin Av, Amaroo ACT 2914, Australia
WOS7854	PREP	31/08/2022 9:23 AM	Cycle & footpaths > On road cycle lanes > Damage to path HORSE PARK DR near shops at Amaroo	WOS7854 : Weeding and crack sealing ***Last updated by Frank Cortes***31/08/2022 9:24:44 AM	3	Low to Medium Risk (42 days)		Concrete - RM	CM - Corrective	VEG, VEG-01, Vegetation, Vegetation Encroachment	ENV, ENV-02, Environmental, Vegetation	Panel replacement (Crack sealing)	COPA5258	HORSE PARK DRIVE ROAD MEDIAN ASPHALT CYCLEPATH	Pathways	Concrete - RM	Community Path	Asphalt	AMAROO	7b Emerald Way, Amaroo ACT 2914, Australia
WOS7857	PREP	31/08/2022 9:34 AM	Cycle path off Horse park drive WB 100m east of Coles	WOS7857 : Damaged cycle path requires 3 patches ***Last updated by Frank Cortes***31/08/2022 9:38:14 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	ACTU, ACTU-02, AC - Trip or undulation, Vertical displacement (>50mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA58837	HORSE PARK DRIVE ROAD VERGE ASPHALT CYCLEPATH	Pathways	Concrete - RM	Community Path	Asphalt	AMAROO	22 Crossman St, Amaroo ACT 2914, Australia
WOS8752	TCOMP	20/09/2022 3:10 PM	Cycle & footpaths > Shared paths > Damage to path or other - 11 JUSTICE KELLY ST, FORDE	WOS8752 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:30 AM , WOS8752 : Replace sunken path. Match level of internal driveway and slope 2 degrees fall towards road. Perform in conjunction with external driveway replacement to achieve 2 degrees fall towards vehicle crossing. ***Last updated by Frank Cortes***20/09/2022 3:14:07 PM	2	High Risk (14 days)	04/09/2023 9:00 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA50679	PHYLIS FROST STREET,JUSTICE KELLY STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	11 Justice Kelly St, Forde ACT 2914, Australia

Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WO62057	PREP	22/11/2022 2:33 PM	Cycle & footpaths > Shared paths > Damage to path or other Forde 24 and 26 Pooley Street	WO62057 : Replace uneven path panels. ***Last updated by Frank Cortes***22/11/2022 2:34:05 PM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA50541	POOLEY STREET,QUINANE AVENUE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	24 Pooley St, Forde ACT 2914, Australia
WO62925	TCOMP	13/12/2022 3:09 PM	Cycle & footpaths > Shared paths > Damage to path or other 36 BYWATERS ST, AMAROO	WO62925 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:31 AM , WO62925 : Replace uplifted concrete path. Contact UTs for advice on removal of offending tree roots. ***Last updated by Frank Cortes***13/12/2022 3:10:31 PM	2	High Risk (14 days)	12/09/2023 3:44 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA43215	BYWATERS STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	36 Bywaters St, Amaroo ACT 2914, Australia
WO62985	ASSESS	14/12/2022 2:14 PM	Cycle & footpaths > Shared paths > Damage to path or other 5 MEERUP ST, AMAROO	WO62985 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:33 AM , WO62985 : Replace uplifted concrete path. Contact UTs for tree roots. ***Last updated by Frank Cortes***14/12/2022 2:15:30 PM	2	High Risk (14 days)	28/08/2023 4:03 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	5 Meerup St, Amaroo ACT 2914, Australia
WO62989	ASSESS	14/12/2022 2:23 PM	Cycle & footpaths > Shared paths > Damage to path or other 1 MEERUP ST, AMAROO	WO62989 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 8:44:30 AM , WO62989 : Replace cracked concrete panel. Keep flush with driveway to prevent trip hazard. ***Last updated by Frank Cortes***14/12/2022 2:23:54 PM	2	High Risk (14 days)	28/08/2023 3:10 PM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	3 Meerup St, Amaroo ACT 2914, Australia
WO63122	TCOMP	19/12/2022 1:28 PM	Cycle & footpaths > Shared paths > Damage to path or other 13 BUCHAN CR, FORDE	WO63122 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:25 AM , WO63122 : Replace concrete path at 3 points. Contact UTs for tree roots. Ensure 2 degrees fall towards kerb is achieved and gap between path and pram ramp landing is removed. ***Last updated by Frank Cortes***19/12/2022 1:31:13 PM	2	High Risk (14 days)	04/09/2023 8:44 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA53761	BLIZZARD CIRCUIT, BUCHAN CRESCENT CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	13 Buchan Cres, Forde ACT 2914, Australia
WO67249	TCOMP	30/03/2023 11:39 AM	Cycle & footpaths > Shared paths > Damage to path or other 16 JACK RYAN ST, FORDE	WO67249 : Scheduled by bulk scheduling operation. ***Last updated by Luke Halgren***1/08/2023 9:24:27 AM , WO67249 : Replace 2 panels of uplifted concrete path to realign with existing. ***Last updated by Frank Cortes***30/03/2023 11:41:09 AM	2	High Risk (14 days)	05/09/2023 10:13 AM	Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA50726	ALICE BERRY STREET, JACK RYAN STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	16 Jack Ryan St, Forde ACT 2914, Australia
WO68397	PREP	09/05/2023 10:28 AM	Cycle & footpaths > Shared paths > Damage to path or other 75 AMY ACKMAN ST, FORDE	WO68397 : Replace sunken concrete path panel. ***Last updated by Frank Cortes***9/05/2023 10:29:25 AM		Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA54901	AMY ACKMAN STREET PEDESTRIAN PARKLAND CONCRETE CYCLEPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	Amy Ackman St before Quinane Av, Forde ACT 2914, Australia
WO68401	PREP	09/05/2023 10:40 AM	Cycle & footpaths > Shared paths > Damage to path or other 4 POOLEY ST, FORDE	WO68401 : Replace sunken path panel. ***Last updated by Frank Cortes***9/05/2023 10:42:08 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA51929	POOLEY STREET, HURRELL STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	6 Pooley St, Forde ACT 2914, Australia
WO68410	PREP	09/05/2023 10:58 AM	Cycle & footpaths > Shared paths > Damage to path or other 10 POOLEY ST, FORDE	WO68410 : Replace sunken concrete path panel ***Last updated by Frank Cortes***9/05/2023 10:58:40 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA51922	POOLEY STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	10 Pooley St, Forde ACT 2914, Australia
WO68485	PREP	10/05/2023 11:42 AM	Cycle & footpaths > Shared paths > Damage to path or other 12 CHIESA ST, FORDE	WO68485 : Replace uplifted concrete panels. ***Last updated by Frank Cortes***10/05/2023 11:43:48 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA51945	CHIESA STREET, BLADON LANE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	12 Chiesa St, Forde ACT 2914, Australia
WO68487	PREP	10/05/2023 11:50 AM	Cycle & footpaths > Shared paths > Damage to path or other Forde 6 Chesa street	WO68487 : Replace uneven path. Contact UTs for tree roots removal. ***Last updated by Frank Cortes***10/05/2023 11:52:29 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA51945	CHIESA STREET, BLADON LANE CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	6 Chiesa St, Forde ACT 2914, Australia



Work Order ID	Work Order Status	Work Order Creation Time	Work Order Brief Description	Work Order Supporting Information	Work Order Priority	Work Order Priority Notation	Work Order Actual Finish Date	Work Order Work Group	Work Order Type	Work Order Failure Code	Work Order Cause Code	Work Order Remedy Code	Asset Id	Asset Name	Asset Category	Asset Workgroup	Maintenance Asset Type	Maintenance Asset Sub Type	Asset Suburb	Work Order Defect Location
WO68808	PREP	17/05/2023 2:18 PM	Cycle & footpaths > Shared paths > Damage to path or other 34 BUCKINGHAM ST, AMAROO	WO68808 : Replace uplifted concrete path. Contact UTs for tree roots removal. ***Last updated by Frank Cortes***17/05/2023 2:18:40 PM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46815	BUCKINGHAM STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	34 Buckingham St, Amaroo ACT 2914, Australia
WO71109	PREP	18/07/2023 3:08 PM	Cycle & footpaths > Shared paths > Damage to path or other 58 BIZANT ST, AMAROO	WO71109 : Replace uplifted concrete path. Contact UTs for tree roots removal. ***Last updated by Frank Cortes***18/07/2023 3:09:41 PM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	ENV, ENV-02, Environmental, Vegetation	Panel replacement	COPA46530	BIZANT STREET CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	58 Bizant St, Amaroo ACT 2914, Australia
WO72541	PREP	17/08/2023 11:51 AM	Cycle & footpaths > Shared paths > Cracked Asphalt Path Behind 38 BENAROON CCT, AMAROO	WO72541 : Patch cracked and undulating asphalt cycle path. ***Last updated by Frank Cortes***17/08/2023 11:52:59 AM	2	High Risk (14 days)		Concrete - RM	CM - Corrective	CTU, CTU-02, Concrete - Trip or undulation, Vertical displacement (>35mm)	UNK, UNK-01, Unknown Cause, Unknown Cause	Panel replacement	COPA46587	DIAMOND STREET PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Pathways	Concrete - RM	Community Path	Asphalt	AMAROO	38 Benaroon Cct, Amaroo ACT 2914, Australia
WO73015	INPRG	31/08/2023 10:18 AM	Cycle & footpaths > Shared paths > Damage to path or other 15 FRANCIS FORDE BVD, FORDE	WO73015 : Grind uplifted concrete path. ***Last updated by Frank Cortes***31/08/2023 10:18:47 AM	4	Very Low Risk (18 months)		Concrete - RM	CM - Corrective	CTU, CTU-01, Concrete - Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-02, Environmental, Vegetation	Grinding	COPA47114	FRANCIS FORDE BOULEVARD CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	FORDE	15 Francis Forde Blvd, Forde ACT 2914, Australia
WO73130	PREP	01/09/2023 3:00 PM	Cycle & footpaths > Shared paths > Damage to path or other 9 JUSTICE KELLY ST, FORDE	WO73130 : Replace displaced concrete driveway. ***Last updated by Frank Cortes***1/09/2023 3:01:01 PM	3	Serious (10 days)		Concrete - RM	CM - Corrective	DSP, DSP-02, Displaced, Displaced (Beyond Repair)	UNK, UNK-01, Unknown Cause, Unknown Cause	Replace	DRIV102770	JUSTICE KELLY STREET CONCRETE DRIVEWAY	Hard Surfaces	Concrete - RM	Hard Surface	Concrete	FORDE	9 Justice Kelly St, Forde ACT 2914, Australia
WO797	ASSESS	22/06/2020 1:57 PM	Cycle & footpaths Shared paths Damage to path or other, 43 Sandover Cct, Amaroo		4	Very Low Risk (18 months)	03/06/2022 12:31 PM	Concrete - RM	CM - Corrective	Trip or undulation, Vertical displacement (15-35mm)	ENV, ENV-01, Environmental, Weather	Panel replacement	COPA46422	SANDOVER CIRCUIT CONCRETE FOOTPATH	Pathways	Concrete - RM	Community Path	Concrete	AMAROO	43 Sandover Cct, Amaroo ACT 2914, Australia

Asset Id	Asset Name	Asset Status	Asset Category	Work Request ID	Work Request Status	Work Request Status Date	Work Request Created Date	Risk Level	Work Request Brief Description	Asset Suburb	Work Request Defect Location	Work Request Inspection Date
COPA43215	BYWATERS STREET CONCRETE FOOTPATH	Active	Pathways	WR73934	INPRG	13/12/2022 3:12 PM	08/12/2022 9:06 AM		Cycle & footpaths > Shared paths > Damage to path or other 36 BYWATERS ST, AMAROO	AMAROO	36 Bywaters St, Amaroo ACT 2914, Australia	13/12/2022 3:09 PM
COPA43222	KATHERINE AVENUE CONCRETE FOOTPATH	Active	Pathways	WR50877	CLOSED	06/09/2023 7:58 AM	03/05/2022 3:46 PM		Cycle & footpaths > Shared paths > Damage to path or other	AMAROO	47 DULVERTON ST, AMAROO ACT 2914	10/05/2022 11:34 AM
COPA43224	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR44559	INPRG	17/03/2022 5:17 PM	22/02/2022 10:51 AM		Cycle & footpaths > Shared paths > Damage to path or other	AMAROO	109 KATHERINE AV, AMAROO ACT 2914	
COPA43235	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR8366	CLOSED	16/03/2023 11:06 AM	16/11/2020 8:13 AM	Safety	Cycle & footpaths Shared paths Damage to path or other; 70 SHOALHAVEN AV, AMAROO	AMAROO	10 Star Cl, Amaroo ACT 2914, Australia	16/11/2020 10:54 AM
COPA43244	KATHERINE AVENUE,GENOA STREET CONCRETE FOOTPATH	Active	Pathways	WR2495	INPRG	30/09/2020 12:47 PM	26/09/2020 1:52 PM	Safety	Cycle & footpaths Shared paths Damage to path or other; 4 GENOA ST, AMAROO	AMAROO	4 Genoa St, Amaroo ACT 2914, Australia	
COPA43264	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR44697	CLOSED	06/09/2023 8:01 AM	23/02/2022 9:17 PM		Cycle & footpaths > Shared paths > Damage to path or other - 102 KATHERINE AV, AMAROO	AMAROO	102 Katherine Ave, Amaroo ACT 2914, Australia	30/03/2022 1:50 PM
COPA43268	KATHERINE AVENUE LANEWAY CONCRETE FOOTPATH	Active	Pathways	WR2496	CLOSED	16/03/2023 11:04 AM	26/09/2020 1:52 PM	Safety	Cycle & footpaths Shared paths Damage to path or other;98 KATHERINE AV, AMAROO	AMAROO	98 KATHERINE AV, AMAROO ACT 2914	
COPA43284	KATHERINE AVENUE,MARRETT STREET CONCRETE FOOTPATH	Active	Pathways	WR31462	CLOSED	11/11/2021 4:28 PM	28/09/2021 11:56 AM		Cycle & footpaths > Shared paths > Damage to path or other - 1 TIMBORAM ST, AMAROO	AMAROO	Katherine Av before Timboram St, Amaroo ACT 2914, Australia	05/10/2021 1:51 PM
COPA43284	KATHERINE AVENUE,MARRETT STREET CONCRETE FOOTPATH	Active	Pathways	WR34895	INPRG	07/12/2021 11:57 AM	19/11/2021 11:00 AM		Cycle & footpaths > Shared paths > Damage to path or other - 2 MARRETT ST, AMAROO	AMAROO	85 Katherine Ave, Amaroo ACT 2914, Australia	07/12/2021 11:52 AM
COPA43295	SHOALHAVEN AVENUE ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR999	CLOSED	07/12/2020 10:08 AM	13/08/2020 12:45 PM	Safety	Cycle & footpaths; Shared paths; Damage to path or other; Lockhart place	AMAROO	Lockhart place	14/08/2020 11:27 AM
COPA43354	CORRINGLE CLOSE NEIGHBOURHOOD PARK CONCRETE FOOTPATH	Active	Pathways	WR3547	CLOSED	10/11/2022 10:09 AM	09/10/2020 10:03 AM	Safety	Cycle & footpaths Shared paths Damage to path or other; 18 SAXBY CL, AMAROO	AMAROO	18 Saxby Cl, Amaroo ACT 2914, Australia	12/10/2020 12:49 PM
COPA43390	NAAS CLOSE,CORRINGLE CLOSE CONCRETE FOOTPATH	Active	Pathways	WR38730	INPRG	21/12/2021 10:08 AM	14/12/2021 5:39 PM		Cycle & footpaths > Shared paths > Damage to path or other - 20 CORRINGLE CL, AMAROO	AMAROO	20 Corringle Cl, Amaroo ACT 2914, Australia	21/12/2021 10:02 AM
COPA43390	NAAS CLOSE,CORRINGLE CLOSE CONCRETE FOOTPATH	Active	Pathways	WR52867	INPRG	01/06/2022 4:36 PM	31/05/2022 12:38 PM		Cycle & footpaths > Shared paths > Damage to path or other - 22 CORRINGLE CL, AMAROO	AMAROO	22 CORRINGLE CL, AMAROO ACT 2914	
COPA43413	SANDOVER CIRCUIT ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR52866	INPRG	01/06/2022 3:05 PM	31/05/2022 12:38 PM		Cycle & footpaths > Shared paths > Damage to path or other - 34 CORRINGLE CL, AMAROO	AMAROO	34 CORRINGLE CL, AMAROO ACT 2914	01/06/2022 3:02 PM
COPA43429	LANDER CRESCENT,RODERICK STREET CONCRETE FOOTPATH	Active	Pathways	WR77643	CLOSED	08/03/2023 3:55 PM	29/01/2023 9:53 AM	Safety	Cycle & footpaths > Shared paths > Damage to path or other	AMAROO	21 Roderick St, Amaroo ACT 2914, Australia	31/01/2023 11:08 AM
COPA43432	LANDER CRESCENT,RODERICK STREET CONCRETE FOOTPATH	Active	Pathways	WR42328	INPRG	23/02/2022 8:51 AM	26/01/2022 6:54 PM		Cycle & footpaths > Shared paths > Damage to path or other - 22 RODERICK ST, AMAROO	AMAROO	22 Roderick St, Amaroo ACT 2914, Australia	23/02/2022 8:41 AM
COPA43434	RODERICK STREET ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR45977	CLOSED	27/07/2022 1:45 PM	14/03/2022 7:34 PM		Cycle & footpaths > Shared paths > Damage to path or other - 27 Roderick St Amaroo	AMAROO	27 Roderick St, Amaroo ACT 2914, Australia	08/04/2022 2:50 PM



Asset Id	Asset Name	Asset Status	Asset Category	Work Request ID	Work Request Status	Work Request Status Date	Work Request Created Date	Risk Level	Work Request Brief Description	Asset Suburb	Work Request Defect Location	Work Request Inspection Date
COPA43445	CLARA CLOSE LANEWAY CONCRETE FOOTPATH	Active	Pathways	WR53210	CLOSED	06/09/2023 7:57 AM	04/06/2022 1:00 PM		Cycle & footpaths > Shared paths > Damage to path or other - 9 CLARA CL, AMAROO	AMAROO	9 CLARA CL, AMAROO ACT 2914	09/06/2022 2:00 PM
COPA43489	WANDERER COURT PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Active	Pathways	WR1091	INPRG	19/08/2020 12:06 PM	18/08/2020 1:36 PM	Safety	Cycle & footpaths Shared paths Damage to path or other 88 WANDERER CT, AMAROO	AMAROO	88 Wanderer Ct, Amaroo ACT 2914, Australia	19/08/2020 12:04 PM
COPA43493	BARRINGTON CRESCENT PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Active	Pathways	WR3488	INPRG	09/10/2020 10:31 AM	08/10/2020 4:40 PM	Safety	Cycle & footpaths Shared paths Damage to path or other; 28 BARRINGTON CR, AMAROO	AMAROO	28 BARRINGTON CR, AMAROO ACT 2914	09/10/2020 10:30 AM
COPA46061	WELLESLEY STREET PEDESTRIAN PARKLAND CONCRETE FOOTPATH	Active	Pathways	WR30699	CLOSED	06/09/2023 7:59 AM	13/09/2021 4:51 PM		Cycle & footpaths > Shared paths > Damage to path or other - 49 ROLLSTON ST, AMAROO	AMAROO	49 Rollston St, Amaroo ACT 2914, Australia	05/10/2021 2:32 PM
COPA46371	KATHERINE AVENUE ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR44544	CLOSED	06/09/2023 7:59 AM	22/02/2022 9:30 AM		Cycle & footpaths > Damage to path or other - ASHBROOKE ON 57 UNIT 2 140 KATHERINE AV, AMAROO	AMAROO	Ashbrooke on 57, 140 Katherine Ave, Amaroo ACT 2914, Australia	30/03/2022 1:21 PM
COPA46422	SANDOVER CIRCUIT CONCRETE FOOTPATH	Active	Pathways	WR385	CLOSED	06/07/2022 4:20 PM	18/06/2020 2:15 PM	Safety	Cycle & footpaths Shared paths Damage to path or other	AMAROO	cnr of Barrington Crescent and Sandover Street	22/06/2020 1:57 PM
COPA46429	AUBURN STREET ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR79791	CLOSED	06/09/2023 8:01 AM	28/02/2023 12:08 PM		Cycle & footpaths > Shared paths > Damage to path or other 20 DIAMOND ST, AMAROO	AMAROO	20 DIAMOND ST, AMAROO ACT 2914	
COPA46429	AUBURN STREET ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR19014	REJECTED	22/03/2021 10:02 AM	18/03/2021 1:15 PM		Cycle & footpaths Shared paths Damage to path or other,38 AUBURN ST, AMAROO	AMAROO	38 AUBURN ST, AMAROO ACT 2914	
COPA46429	AUBURN STREET ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR43844	CLOSED	06/09/2023 8:01 AM	11/02/2022 3:51 PM		Cycle & footpaths > Shared paths > Damage to path or other - Between 8 and 20 Diamond St, Amaroo	AMAROO	6 Diamond St, Amaroo ACT 2914, Australia	01/04/2022 10:13 AM
COPA46476	KATHERINE AVENUE,CLARENDON STREET CONCRETE FOOTPATH	Active	Pathways	WR25121	CLOSED	16/03/2023 11:11 AM	23/06/2021 6:18 AM		Cycle & footpaths > Shared paths > Damage to path or other - 42 KATHERINE AV, AMAROO	AMAROO	Katherine Av before Clarendon St, Amaroo ACT 2914, Australia	13/07/2021 2:31 PM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR729	INPRG	31/07/2020 10:41 AM	25/07/2020 10:33 AM	Safety	Cycle & footpaths Shared paths Damage to path or other	AMAROO	13 Meerup St, Amaroo ACT 2914, Australia	31/07/2020 10:40 AM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR2242	INPRG	19/03/2021 1:36 PM	23/09/2020 12:47 PM		Cycle & footpaths; Shared paths; Damage to path or other;9 Meerup st	AMAROO	9 Meerup St, Amaroo ACT 2914, Australia	19/03/2021 1:32 PM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR50171	CLOSED	06/09/2023 7:54 AM	23/04/2022 7:20 PM		Cycle & footpaths > Shared paths > Damage to path or other - 3 MEERUP ST, AMAROO	AMAROO	3 MEERUP ST, AMAROO ACT 2914	11/05/2022 2:02 PM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR73563	CLOSED	06/09/2023 8:02 AM	04/12/2022 8:13 PM		Cycle & footpaths > Shared paths > Damage to path or other 3 MEERUP ST, AMAROO	AMAROO	3 Meerup St, Amaroo ACT 2914, Australia	14/12/2022 2:23 PM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR74072	CLOSED	06/09/2023 8:03 AM	09/12/2022 12:35 PM		Cycle & footpaths > Shared paths > Damage to path or other 5 MEERUP ST, AMAROO	AMAROO	5 Meerup St, Amaroo ACT 2914, Australia	14/12/2022 2:14 PM
COPA46524	TARRABOOL STREET CONCRETE FOOTPATH	Active	Pathways	WR52466	CLOSED	06/09/2023 7:54 AM	24/05/2022 3:50 PM		Cycle & footpaths > Shared paths > Damage to path or other - 5 MEERUP ST, AMAROO	AMAROO	5 MEERUP ST, AMAROO ACT 2914	

Asset Id	Asset Name	Asset Status	Asset Category	Work Request ID	Work Request Status	Work Request Status Date	Work Request Created Date	Risk Level	Work Request Brief Description	Asset Suburb	Work Request Defect Location	Work Request Inspection Date
COPA46530	BIZANT STREET CONCRETE FOOTPATH	Active	Pathways	WR88935	INPRG	18/07/2023 3:11 PM	18/07/2023 1:27 AM		Cycle & footpaths > Shared paths > Damage to path or other 58 BIZANT ST, AMAROO	AMAROO	58 Bizant St, Amaroo ACT 2914, Australia	18/07/2023 3:08 PM
COPA46548	BENAROON CIRCUIT CONCRETE FOOTPATH	Active	Pathways	WR38526	INPRG	21/12/2021 9:36 AM	13/12/2021 3:06 PM		Cycle & footpaths > Shared paths > Damage to path or other- 25 BENAROON CCT, AMAROO	AMAROO	25 Benaroon Cct, Amaroo ACT 2914, Australia	21/12/2021 9:29 AM
COPA46587	DIAMOND STREET PEDESTRIAN PARKLAND ASPHALT CYCLEPATH	Active	Pathways	WR91058	INPRG	17/08/2023 11:55 AM	14/08/2023 3:33 PM		Cycle & footpaths > Shared paths > Cracked Path 38 BENAROON CCT, AMAROO	AMAROO	38 Benaroon Cct, Amaroo ACT 2914, Australia	17/08/2023 11:51 AM
COPA46807	BUCKINGHAM STREET CONCRETE FOOTPATH	Active	Pathways	WR9861	INPRG	03/12/2020 11:44 AM	27/11/2020 3:35 PM	Safety	Cycle & footpaths On road cycle lanes Damage to path or other; 30 BUCKINGHAM ST, AMAROO	AMAROO	20 Buckingham St, Amaroo ACT 2914, Australia	03/12/2020 11:43 AM
COPA46815	BUCKINGHAM STREET CONCRETE FOOTPATH	Active	Pathways	WR84662	INPRG	17/05/2023 2:20 PM	09/05/2023 3:45 PM		Cycle & footpaths > Shared paths > Damage to path or other 34 BUCKINGHAM ST, AMAROO	AMAROO	34 Buckingham St, Amaroo ACT 2914, Australia	17/05/2023 2:18 PM
COPA47114	FRANCIS FORDE BOULEVARD CONCRETE FOOTPATH	Active	Pathways	WR91776	INPRG	31/08/2023 10:20 AM	24/08/2023 4:45 PM		Cycle & footpaths > Shared paths > Damage to path or other 15 FRANCIS FORDE BVD, FORDE	FORDE	15 Francis Forde Blvd, Forde ACT 2914, Australia	31/08/2023 10:18 AM
COPA48891	MILJANOVIC STREET,PAQUITA STREET CONCRETE FOOTPATH	Active	Pathways	WR30498	CLOSED	11/11/2021 4:39 PM	10/09/2021 10:04 AM		Cycle & footpaths > Shared paths > Damage to path or other - 18 PAQUITA ST, FORDE	FORDE	18 Paquita St, Forde ACT 2914, Australia	05/10/2021 3:11 PM
COPA48891	MILJANOVIC STREET,PAQUITA STREET CONCRETE FOOTPATH	Active	Pathways	WR1748	INPRG	15/09/2020 12:54 PM	14/09/2020 9:25 AM	Safety	Cycle & footpaths Shared paths Damage to path or other	FORDE	14 Paquita St, Forde ACT 2914, Australia	15/09/2020 12:53 PM
COPA48909	DENOON STREET,JESSIE STREET CONCRETE FOOTPATH	Active	Pathways	WR30497	CLOSED	11/11/2021 4:36 PM	10/09/2021 9:54 AM		Cycle & footpaths > Shared paths > Damage to path or other - 9 - 11 JESSIE ST, FORDE	FORDE	11 Jessie St, Forde ACT 2914, Australia	05/10/2021 3:01 PM
COPA50541	POOLEY STREET,QUINANE AVENUE CONCRETE FOOTPATH	Active	Pathways	WR69792	INPRG	22/11/2022 2:37 PM	03/11/2022 5:16 PM		Cycle & footpaths > Shared paths > Damage to path or other Forde 24 and 26 Pooley Street	FORDE	24 Pooley St, Forde ACT 2914, Australia	22/11/2022 2:33 PM
COPA50603	ERIC WRIGHT STREET,JUSTICE KELLY STREET CONCRETE FOOTPATH	Active	Pathways	WR23180	INPRG	20/05/2021 1:32 PM	18/05/2021 2:09 PM		Cycle & footpaths > Shared paths > Damage to path or other,23 JUSTICE KELLY ST, FORDE	FORDE	23 Justice Kelly St, Forde ACT 2914, Australia	20/05/2021 1:22 PM
COPA50622	MARCUS STREET CONCRETE FOOTPATH	Active	Pathways	WR38224	INPRG	21/12/2021 10:42 AM	13/12/2021 6:12 AM		Cycle & footpaths > Shared paths > Damage to path or other - 14 MARCUS ST, FORDE	FORDE	14 MARCUS ST, FORDE ACT 2914	21/12/2021 10:37 AM
COPA50640	FRANCIS FORDE BOULEVARD,LOMA RUDDUCK STREET CONCRETE FOOTPATH	Active	Pathways	WR26017	INPRG	05/07/2021 11:16 AM	04/07/2021 8:33 AM	Safety	Cycle & footpaths > Shared paths > Damage to path or other; GRANNALL ST, FORDE	FORDE	Grannall St, Forde ACT 2914, Australia	05/07/2021 11:13 AM
COPA50679	PHYLLIS FROST STREET,JUSTICE KELLY STREET CONCRETE FOOTPATH	Active	Pathways	WR61878	INPRG	20/09/2022 3:17 PM	12/09/2022 9:04 AM		Cycle & footpaths > Shared paths > Damage to path or other - 11 JUSTICE KELLY ST, FORDE	FORDE	11 Justice Kelly St, Forde ACT 2914, Australia	20/09/2022 3:10 PM
COPA50679	PHYLLIS FROST STREET,JUSTICE KELLY STREET CONCRETE FOOTPATH	Active	Pathways	WR91102	INPRG	16/08/2023 9:46 AM	15/08/2023 10:10 AM		11 JUSTICE KELLY ST, FORDE > Cycle & footpaths > Shared paths > Damage to path or other	FORDE	11 JUSTICE KELLY ST, FORDE ACT 2914	
COPA50679	PHYLLIS FROST STREET,JUSTICE KELLY STREET CONCRETE FOOTPATH	Active	Pathways	WR74179	INPRG	13/12/2022 10:27 AM	12/12/2022 9:44 AM		Cycle & footpaths > Shared paths > Damage to path or other	FORDE	11 JUSTICE KELLY ST, FORDE ACT 2914	
COPA50713	AIDA BALL CIRCUIT CONCRETE FOOTPATH	Active	Pathways	WR20948	INPRG	14/04/2021 11:38 AM	12/04/2021 2:32 PM		Cycle & footpaths Shared paths Damage to path or other, 32 AIDA BALL CCT, FORDE	FORDE	32 AIDA BALL CCT, FORDE ACT 2914	14/04/2021 11:34 AM

Asset Id	Asset Name	Asset Status	Asset Category	Work Request ID	Work Request Status	Work Request Status Date	Work Request Created Date	Risk Level	Work Request Brief Description	Asset Suburb	Work Request Defect Location	Work Request Inspection Date
COPA50726	ALICE BERRY STREET,JACK RYAN STREET CONCRETE FOOTPATH	Active	Pathways	WR81808	INPRG	30/03/2023 11:42 AM	20/03/2023 12:30 PM		Cycle & footpaths > Shared paths > Damage to path or other 16 JACK RYAN ST, FORDE	FORDE	16 Jack Ryan St, Forde ACT 2914, Australia	30/03/2023 11:39 AM
COPA50814	FELL STREET,MAX PURNELL STREET CONCRETE FOOTPATH	Active	Pathways	WR1203	INPRG	25/08/2020 11:11 AM	24/08/2020 2:36 PM	Safety	Cycle & footpaths Shared paths Damage to path or other; 74 MAX PURNELL ST, FORDE	FORDE	74 Max Purnell St, Forde ACT 2914, Australia	25/08/2020 11:09 AM
COPA51622	AMY ACKMAN STREET,ALLNUTT CRESCENT CONCRETE FOOTPATH	Active	Pathways	WR49034	INPRG	26/04/2022 12:02 PM	21/04/2022 8:51 AM		Cycle & footpaths > On road cycle lanes > Damage to path or other - 5 ALLNUTT CR, FORDE	FORDE	5 ALLNUTT CR, FORDE ACT 2914	26/04/2022 11:59 AM
COPA51922	POOLEY STREET CONCRETE FOOTPATH	Active	Pathways	WR84197	INPRG	09/05/2023 11:00 AM	02/05/2023 12:36 PM		Cycle & footpaths > Shared paths > Damage to path or other 10 POOLEY ST, FORDE	FORDE	10 Pooley St, Forde ACT 2914, Australia	09/05/2023 10:58 AM
COPA51926	BROMHAM STREET,PAHLMAN STREET CONCRETE FOOTPATH	Active	Pathways	WR24480	INPRG	06/07/2021 11:59 AM	11/06/2021 6:52 AM	Safety	Cycle & footpaths > Shared paths > Damage to path or other; 8 BROMHAM ST, FORDE	FORDE	8 Bromham St, Forde ACT 2914, Australia	06/07/2021 11:57 AM
COPA51929	POOLEY STREET,HURRELL STREET CONCRETE FOOTPATH	Active	Pathways	WR84199	INPRG	09/05/2023 10:43 AM	02/05/2023 12:56 PM		Cycle & footpaths > Shared paths > Damage to path or other 4 POOLEY ST, FORDE	FORDE	6 Pooley St, Forde ACT 2914, Australia	09/05/2023 10:40 AM
COPA51942	CHIESA STREET,BLADON LANE CONCRETE FOOTPATH	Active	Pathways	WR57207	INPRG	08/08/2022 10:53 AM	25/07/2022 3:27 PM		Cycle & footpaths > Shared paths > Damage to path or other - 6 CHIESA ST, FORDE	FORDE	6 Chiesa St, Forde ACT 2914, Australia	08/08/2022 10:48 AM
COPA51945	CHIESA STREET,BLADON LANE CONCRETE FOOTPATH	Active	Pathways	WR84218	INPRG	10/05/2023 11:45 AM	02/05/2023 4:12 PM		Cycle & footpaths > Shared paths > Damage to path or other 12 CHIESA ST, FORDE	FORDE	12 Chiesa St, Forde ACT 2914, Australia	10/05/2023 11:42 AM
COPA51945	CHIESA STREET,BLADON LANE CONCRETE FOOTPATH	Active	Pathways	WR84217	INPRG	10/05/2023 11:54 AM	02/05/2023 4:12 PM		Cycle & footpaths > Shared paths > Damage to path or other	FORDE	6 Chiesa St, Forde ACT 2914, Australia	10/05/2023 11:50 AM
COPA53761	BLIZZARD CIRCUIT,BUCHAN CRESCENT CONCRETE FOOTPATH	Active	Pathways	WR74548	INPRG	19/12/2022 1:38 PM	16/12/2022 1:06 PM		Cycle & footpaths > Shared paths > Damage to path or other 13 BUCHAN CR, FORDE	FORDE	13 Buchan Cres, Forde ACT 2914, Australia	19/12/2022 1:28 PM
COPA54881	OKE STREET,HELEN LEONARD CRESCENT CONCRETE FOOTPATH	Active	Pathways	WR77768	CLOSED	08/03/2023 3:54 PM	30/01/2023 7:39 PM	Safety	Cycle & footpaths > Shared paths > Damage to path or other	FORDE	4 Oke St, Forde ACT 2914, Australia	31/01/2023 11:36 AM
COPA54901	AMY ACKMAN STREET PEDESTRIAN PARKLAND CONCRETE CYCLEPATH	Active	Pathways	WR84219	INPRG	09/05/2023 10:32 AM	02/05/2023 4:17 PM		Cycle & footpaths > Shared paths > Damage to path or other 75 AMY ACKMAN ST, FORDE	FORDE	Amy Ackman St before Quinane Av, Forde ACT 2914, Australia	09/05/2023 10:28 AM
COPA55258	HORSE PARK DRIVE ROAD MEDIAN ASPHALT CYCLEPATH	Active	Pathways	WR59283	INPRG	31/08/2022 9:31 AM	14/08/2022 8:29 AM		Cycle & footpaths > On road cycle lanes > Damage to path HORSE PARK DR near shops at Amaroo	AMAROO	7b Emerald Way, Amaroo ACT 2914, Australia	31/08/2022 9:23 AM
COPA55477	BUCKINGHAM STREET ROAD VERGE CONCRETE FOOTPATH	Active	Pathways	WR36284	INPRG	21/12/2021 9:00 AM	06/12/2021 7:59 PM		Cycle & footpaths > Shared paths > Damage to path or other - 64 BUCKINGHAM ST, AMAROO	AMAROO	64 Buckingham St, Amaroo ACT 2914, Australia	21/12/2021 8:56 AM
COPA58840	AMAROO SHOPPING CENTRE CONCRETE FOOTPATH	Active	Pathways	WR4319	INPRG	19/03/2021 2:27 PM	15/10/2020 5:13 PM		Cycle & footpaths Shared paths Damage to path or other, Corner of pioneer st and Mornington	AMAROO	8 Crossman St, Amaroo ACT 2914, Australia	19/03/2021 2:23 PM