



FREEDOM OF INFORMATION COVERSHEET

The following information is provided pursuant to section 28 of the *Freedom of Information Act 2016*.

FOI reference: 23-081

Information to be published	Status
1. Access application	Published
2. Decision notice	Published
3. Schedule	Published
4. Documents	Published
5. Additional information identified	Not Applicable
6. Fees	Not Applicable
7. Processing time (in working days)	28 Days
8. Decision made by Ombudsman	Not applicable
9. Additional information identified by Ombudsman	Not Applicable
10. Decision made by ACAT	Not applicable

11. Additional information identified by ACAT	Not applicable
---	----------------

Bruan, Nicole

From: [REDACTED]
Sent: Wednesday, 9 August 2023 1:11 PM
To: TCCS_FreedomOfInformation
Subject: Re: FOI 23-081 | CLARIFYING REQUEST

Caution: This email originated from outside of the ACT Government. Do not click links or open attachments unless you recognise the sender and know the content is safe. [Learn why this is important](#)

Thank you, I am agreeable with that approach.

[REDACTED]
Sent from my iPhone

On 9 Aug 2023, at 12:45 pm, TCCS_FreedomOfInformation <TCCS.FOI@act.gov.au> wrote:

OFFICIAL

Hi [REDACTED]

Good Afternoon. Hope you are well . I have attempted to call you this afternoon but was unsuccessful. The reason of my call is I have been advised that the adjusted scope is still unachievable due to a manual search being required for each application to gather the reasons for these applications and decisions. Undertaking this search activity would be excessively onerous for the Territory. However, the number of applications and decisions made in these 4 suburbs are acceptable to retrieve.

Please advise if are agreeable with the above approach so that we can continue process your application .

Please contact me should you require further clarification about this matter. My telephone number is 62079953. Thank you.

Yours sincerely,

Toma Ahmed | Administrative Service Officer
Phone: 620 79953 | Email: TCCS.FOI@act.gov.au
Freedom of Information and Subpoenas | TCCS Legal & Contracts | Transport Canberra and City Services Directorate | ACT Government
Level 4, 480 Northbourne Avenue, Dickson 2602 |

[REDACTED]
Sent: Monday, 31 July 2023 2:47 PM
To: TCCS_FreedomOfInformation <TCCS.FOI@act.gov.au>
Subject: Re: FOI 23-081 | ACKNOWLEDGEMENT OF ACCESS APPLICATION

Caution: This email originated from outside of the ACT Government. Do not click links or open attachments unless you recognise the sender and know the content is safe. [Learn why this is important](#)

Good afternoon

As discussed, given the size of the request, happy for you to rescope to Ainslie, O'Connor, Lyneham and Dickson.

Thanks,

■

Sent from my iPhone

On 17 Jul 2023, at 11:57 am, TCCS_FreedomOfInformation <TCCS.FOI@act.gov.au> wrote:

OFFICIAL

Dear ■

FREEDOM OF INFORMATION (FOI) REQUEST – 23-081.

I refer to your application received by Transport Canberra and City Services (TCCS) by transfer from Environment, Planning and Sustainable Development Directorate (EPSDD) on 13 July 2023 in which you sought access to information under the *Freedom of Information Act 2016* (the FOI Act).

In your application you have requested information relating to the following documents which may be in possession of the Transport Canberra and City Services directorate:

“For the 2022-2023 financial year, decisions made in relation to requests to remove trees from residential properties in the ACT.

- 1. Applications made, decisions in relation to those applications and reasons for decisions.*
- 2. Compliance activities undertaken where trees were removed or damaged without permission and resulting fines/penalties applied”.*

TCCS is now processing your request. In accordance with section 40 of the FOI Act, we must make a decision on your application within 30 working days of receipt, being 24 August 2024. This period may, however, be extended if we need to consult third parties or for other reasons set out in the FOI Act. We will notify you if this is the case. Otherwise, you should expect a decision from us within 3 business days from the date a decision is made. Please contact our office if you do not receive a notice of decision within this timeframe.

Third Party Consultation

In processing your application, consultation with relevant third parties may be required. If this is the case, you will be notified to this effect and advised of a

revised decision due date in respect of your application. In line with the Act, if third party consultation is required, the due date may be extended by 15 working days.

Charges

Please be aware that processing charges may be payable in relation to your request. Should you be liable to pay a processing charge, you will be notified in writing of the preliminary assessment and given an opportunity to make an application that the charge should be remitted in whole or in part. This may affect the time within which your application is processed.

TCCS Disclosure Log

The FOI Act requires that details regarding your request such as your application, decision notices, and information released to you, must be recorded in the agency disclosure log and be made publicly available three working days after a decision on access has been given to you. Please be aware that while no personal information will be included in the published information all other information will be published on https://www.cityservices.act.gov.au/about-us/freedom_of_information.

TCCS is not required to publish applications on its disclosure log where it relates to a request to access personal information.

Should you have any queries about the processing of your access application, please contact the FOI and subpoena team at tccs.foi@act.gov.au or by telephone on 6207 2987.

Yours sincerely,

Toma Ahmed | Administrative Service Officer
Phone: 620 79953 | Email: TCCS.FOI@act.gov.au
Freedom of Information and Subpoenas | TCCS Legal & Contracts | Transport
Canberra and City Services Directorate | ACT Government
Level 4, 480 Northbourne Avenue, Dickson 2602 |

This email, and any attachments, may be confidential and also privileged. If you are not the intended recipient, please notify the sender and delete all copies of this transmission along with any attachments immediately. You should not copy or use it for any purpose, nor disclose its contents to any other person.

Official

Dear [REDACTED]

Freedom of Information Request - Reference 23-081

I refer to your application under section 30 of the *Freedom of Information Act 2016* (the Act) received by Transport Canberra and City Services (TCCS) by transfer from the Environment, Planning and Sustainable Development Directorate (EPSDD) on 13 July 2023 seeking the following information:

“For the 2022-2023 financial year, decisions made in relation to requests to remove trees from residential properties in the ACT.

- 1. Applications made, decisions in relation to those applications and reasons for decisions.*
- 2. Compliance activities undertaken where trees were removed or damaged without permission and resulting fines/penalties applied.*

On the 31 July 2023 you confirmed agreement to reduce the scope of your application to the number of applications and decisions for residential properties relating to the following four suburbs only:

- Ainslie
- O’Connor
- Dickson; and
- Lyneham

Authority

I am an Information Officer appointed by the Director-General under section 18 of the Act to deal with access applications made under Part 5 of the FOI Act.

Timeframes

A decision on your application is due by 24 August 2023.

Decision on access

Part 1

A search of records held by TCCS has been completed and the requested information has been extracted for the four suburbs.

Upon reviewing the information within the records and applying the public interest test under section 17 of the FOI Act, I have decided to provide you with full disclosure of the data available. Information to be disclosed to you is listed in the schedule at [Attachment A](#) and the documents are enclosed at [Attachment B](#).

Part 2

In relation to the second part of your request, I am advised that there was only one complaint in O'Connor however the fines/penalties were not applied due to insufficient evidence presented to the Tree Protection Unit. In consideration of this advice, and the completed record search I find that all reasonable steps have been exhausted and the requested information is not held by TCCS.

Statement of Reasons

In making my decision on disclosing government information, I must identify all relevant factors in schedule 2 of the FOI Act and determine, on balance, where the public interest lies. In reaching my access decision, I have taken the following into account:

Factors favouring disclosure in the public interest (Schedule 2, Section 2.1)

- Section 2.1(a)(i) - promote open discussion of public affairs and enhance the government's accountability; and
- Section 2.1(a)(viii) - reveal the reason for a government decision and any background or contextual information that informed the decision.

Factors favouring non-disclosure (Schedule 2, Section 2.2)

- No factors favouring non-disclosure were identified as relevant to this application.

I have considered the public interest in relation to the information and find that the information enclosed with this notice is in the public interest to disclose in full.

Charges

No fees are applicable, as the information being provided to you is within the fee-free threshold.

Online publishing – disclosure log

Under section 28 of the Act, TCCS maintains an online record of access applications called a disclosure log. Your access application and this notice of decision will be published on the disclosure log within 3 – 10 business days. Your personal information will be removed from these documents prior to publication.

Ombudsman review

My decision on your access request is a reviewable decision as identified in Schedule 3 of the Act. You have the right to seek Ombudsman review of this outcome under section 73 of the Act within 20 working days from the day that my decision is published in TCCS' disclosure log, or a longer period allowed by the Ombudsman.

If you wish to request a review of my decision you may write to the Ombudsman at:

The ACT Ombudsman
GPO Box 442
CANBERRA ACT 2601
via email: ombudsman@ombudsman.gov.au

ACT Civil and Administrative Tribunal (ACAT) review


Under section 84 of the Act, if a decision is made under section 82(1) on an Ombudsman review, you may apply to the ACAT for review of the Ombudsman decision.

Further information may be obtained from the ACAT at:

ACT Civil and Administrative Tribunal
Level 4, 1 Moore Street
GPO Box 370
CANBERRA CITY ACT 2601
Telephone: (02) 6207 1740
www.acat.act.gov.au

If you have any queries concerning the directorate's processing of your request, or would like further information, please contact the TCCS FOI team on (02) 6207 2987 or email tccs.foi@act.gov.au.

Yours sincerely



Cherie Hughes
Information Officer

22 August 2023

ATTACHMENT A - ACCESS APPLICATION SCHEDULE, FREEDOM OF INFORMATION

Reference Number: 23-078

Please be aware that under the *Freedom of Information Act 2016*, some of the information provided to you will be released to the public through the ACT Government's Open Access Scheme. The Open Access release status column of the table below indicates what documents are intended for release online through open access.

Personal information or business affairs information will not be made available under this policy. If you think the content of your request would contain such information, please inform the contact officer immediately.

Information about what is published on open access is available online at: https://www.cityservices.act.gov.au/about-us/freedom_of_information/disclosure-log

Factors favouring non-disclosure:

Not applicable

Reference number	Page number	Description	Date	Status	Reason for non-release or deferral	Open Access release status
1	1-3	Ainslie Data	2023 and 2022	Full release	Not applicable	Decision to be published on the TCCS Disclosure Log .
2	4-5	Dickson Data	2023 and 2022	Full release	Not applicable	
3	6-7	Lyneham Data	2023 and 2022	Full release	Not applicable	
4	8-13	O'Connor Data	2023 and 2022	Full release	Not applicable	

Total number of documents: 4

DateReceived	ApprovalStatus	ActivityName	Criteria	CitySuburb
05-Jul-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	AINSLIE
11-Jul-22	GRANTED WITH CONDITIONS	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	AINSLIE
12-Jul-22	NOT COVERED BY LEGISLATION	Major Pruning	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	AINSLIE
27-Jul-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE
03-Aug-22	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	AINSLIE
09-Aug-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	AINSLIE
10-Aug-22	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	AINSLIE
16-Aug-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	AINSLIE
19-Aug-22	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	AINSLIE
22-Aug-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	AINSLIE
22-Aug-22	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	AINSLIE
23-Aug-22	GRANTED WITH CONDITIONS	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service.	AINSLIE
01-Sep-22	GRANTED WITH CONDITIONS	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service.	AINSLIE
05-Sep-22	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment. The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	AINSLIE
23-Sep-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	AINSLIE
11-Oct-22	GRANTED	Major Pruning	The work is required in the general interests of the health of the tree. The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service. Deadwood removal must be undertaken by a qualified arbori	AINSLIE
27-Oct-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	AINSLIE
07-Nov-22	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	AINSLIE
09-Nov-22	NOT COVERED BY LEGISLATION	Major Pruning	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	AINSLIE
16-Nov-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	AINSLIE
16-Nov-22	GRANTED WITH CONDITIONS	Felling/Removal	The tree is in decline and its life expectancy is short.	AINSLIE
16-Nov-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	AINSLIE
16-Nov-22	GRANTED	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service.	AINSLIE
16-Nov-22	GRANTED	Major Pruning	The work is required as a remedial treatment.	AINSLIE
19-Dec-22	URGENT CIRCUMSTANCES	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service. The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	AINSLIE
19-Dec-22	URGENT CIRCUMSTANCES	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service. The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	AINSLIE
30-Dec-22	GRANTED WITH CONDITIONS	Major Pruning	The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	AINSLIE
05-Jan-23	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE
16-Jan-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	AINSLIE
19-Jan-23	GRANTED WITH CONDITIONS	Minor Pruning	The work is required as a remedial treatment.	AINSLIE
23-Jan-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	AINSLIE
24-Jan-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is dead and is not listed on the ACT Tree Register, therefore no approval is required for its removal under the Tree Protection Act 2005.	AINSLIE
03-Feb-23	GRANTED	Major Pruning	The work is required as a remedial treatment.	AINSLIE
06-Feb-23	GRANTED	Felling/Removal	Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	AINSLIE
06-Feb-23	GRANTED	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service.	AINSLIE

07-Feb-23	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	AINSLIE	
10-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
13-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
21-Feb-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	AINSLIE	
27-Feb-23	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
15-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
15-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
15-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
15-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
15-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
27-Mar-23	GRANTED	Felling/Removal	The work is required as a remedial treatment.	AINSLIE	
04-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
04-Apr-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a street tree. The removal of street trees is not covered by the Tree Protection Act 2005. However, the tree falls under the management of Transport Canberra and City Services, to discuss the removal of this tree, it would be appreciated if	AINSLIE	
04-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
04-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
04-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
11-Apr-23	NOT GRANTED	Lopping	It has not been established that any of the criteria for lopping have been satisfied in Clause 1(1) and (6) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
11-Apr-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment.	AINSLIE	
11-Apr-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	AINSLIE	
11-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
11-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
11-Apr-23	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
14-Apr-23	NOT GRANTED	Felling/Removal	The proposed level of groundwork is likely to significantly affect the health and/or stability of the tree, therefore it has not been established that any of the criteria for groundwork have been satisfied in Clause 2 of Schedule 1 of Disallowable Instrum	AINSLIE	
20-Apr-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	AINSLIE	
09-May-23	GRANTED WITH CONDITIONS	Groundwork	The ground work will have minimal impact of the tree if the activity complies with the conditions stated in the approval.	AINSLIE	
12-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
24-May-23	NOT COVERED BY LEGISLATION	Groundwork	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	AINSLIE	
02-Jun-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment.	AINSLIE	

02-Jun-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment.	AINSLIE	
22-Jun-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	AINSLIE	
23-Jun-23	GRANTED WITH CONDITIONS	Felling/Removal	The tree is causing an allergic reaction to an occupant of the lease or neighbouring lease, and the claim can be supported by certification from a relevant medical specialist.	AINSLIE	
23-Jun-23	GRANTED	Felling/Removal	Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	AINSLIE	
23-Jun-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	AINSLIE	
30-Jun-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	AINSLIE	

DateReceived	ApprovalStatus	ActivityName	Criteria	CitySuburb
06-Jul-22	URGENT CIRCUMSTANCES	Felling/Removal	The activity is necessary to protect the health or safety of people or animals, or public or private property.	DICKSON
10-Aug-22	GRANTED WITH CONDITIONS	Felling/Removal	Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	DICKSON
22-Aug-22	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	DICKSON
22-Aug-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	DICKSON
06-Sep-22	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	DICKSON
13-Sep-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a street tree. The removal of street trees is not covered by the Tree Protection Act 2005. However, the tree falls under the management of Transport Canberra and City Services and you can not remove the tree.	DICKSON
06-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	DICKSON
06-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	DICKSON
06-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	DICKSON
06-Oct-22	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	DICKSON
06-Oct-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short. Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	DICKSON
13-Oct-22	NOT COVERED BY LEGISLATION	Groundwork	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	DICKSON
13-Oct-22	NOT COVERED BY LEGISLATION	Groundwork	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	DICKSON
13-Oct-22	NOT COVERED BY LEGISLATION	Groundwork	The trees are less than 12m high, they have a circumference less than 1.5m at 1m above natural ground level and the canopy of the trees is less than 12m wide, therefore, work undertaken on these trees does not require approval.	DICKSON
28-Oct-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	DICKSON
31-Oct-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	DICKSON

14-Nov-22	GRANTED WITH CONDITIONS	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	DICKSON
12-Jan-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	DICKSON
12-Jan-23	GRANTED WITH CONDITIONS	Major Pruning		DICKSON
12-Jan-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	DICKSON
01-Feb-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is dead and is not listed on the ACT Tree Register, therefore no approval is required for its removal under the Tree Protection Act 2005.	DICKSON
01-Feb-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	DICKSON
01-Feb-23	NOT COVERED BY LEGISLATION	Major Pruning	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	DICKSON
03-Feb-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	DICKSON
03-Feb-23	GRANTED	Major Pruning	The work is required as a remedial treatment.	DICKSON
03-Feb-23	GRANTED	Lopping	The work is required as a remedial treatment.	DICKSON
09-Mar-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment.	DICKSON
09-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	DICKSON
11-Apr-23	GRANTED WITH CONDITIONS	Felling/Removal	The tree is located on a block of less than or equal to 1200m ² and is a species listed in Schedule 2.	DICKSON
19-May-23	NOT COVERED BY LEGISLATION	Groundwork	The trees are street trees. Groundwork relating to street trees is not covered by the Tree Protection Act 2005. Ground work within the Tree Protection Zone (TPZ) of trees located on public land, is covered by other legislation. Plans should be submitted	DICKSON

DateReceived	ApprovalStatus	ActivityName	Criteria	CitySuburb
14-Jul-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	LYNEHAM
17-Aug-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	LYNEHAM
23-Aug-22	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	LYNEHAM
29-Aug-22	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	LYNEHAM
19-Sep-22	GRANTED	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service.	LYNEHAM
30-Sep-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	LYNEHAM
30-Sep-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	LYNEHAM
13-Oct-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	LYNEHAM
13-Oct-22	GRANTED WITH CONDITIONS	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	LYNEHAM
14-Oct-22	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	LYNEHAM
17-Oct-22	GRANTED WITH CONDITIONS	Felling/Removal	The tree is in decline and its life expectancy is short.	LYNEHAM
24-Oct-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	LYNEHAM
01-Nov-22	NOT COVERED BY LEGISLATION	Major Pruning	The tree is a street tree. The removal of street trees is not covered by the Tree Protection Act 2005. However, the tree falls under the management of Transport Canberra and City Services and you can not remove the tree. Should you wish to report spec	LYNEHAM
11-Nov-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a street tree. The removal of street trees is not covered by the Tree Protection Act 2005. However, the tree falls under the management of Transport Canberra and City Services and you can not remove the tree. Should you wish to report spec	LYNEHAM
16-Nov-22	NOT GRANTED	Felling/Removal	Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	LYNEHAM
16-Nov-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	LYNEHAM

16-Nov-22	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	LYNEHAM
24-Nov-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	LYNEHAM
29-Nov-22	GRANTED WITH CONDITIONS	Minor Pruning	The work is required as a remedial treatment.	LYNEHAM
21-Dec-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	LYNEHAM
20-Jan-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	LYNEHAM
23-Jan-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	LYNEHAM
20-Mar-23	GRANTED	Lopping	The work is required as a remedial treatment.	LYNEHAM
20-Mar-23	GRANTED	Major Pruning	The work is required as a remedial treatment.	LYNEHAM
11-Apr-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	LYNEHAM
13-Apr-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	LYNEHAM
09-May-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	LYNEHAM
22-May-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts). The tree is located on a block of less than or equal to 1200m ² and is a species listed in Schedule 2.	LYNEHAM
06-Jun-23	NOT COVERED BY LEGISLATION	Groundwork	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	LYNEHAM
09-Jun-23	GRANTED	Felling/Removal	The tree is shown to be causing or threatening to cause substantial damage to a substantial building, structure or service. The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	LYNEHAM

DateReceived	ApprovalStatus	ActivityName	Criteria	CitySuburb
01-Jul-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
11-Jul-22	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	O'CONNOR
11-Jul-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
14-Jul-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	O'CONNOR
29-Jul-22	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	O'CONNOR
29-Jul-22	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Aug-22	NOT COVERED BY LEGISLATION	Groundwork	These trees are located on unleased Territory Land. The Tree Protection Act 2005 does not apply to unleased Territory Land.	O'CONNOR
05-Aug-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
05-Aug-22	NOT COVERED BY LEGISLATION	Groundwork	The trees are less than 12m high, have a circumference of less than 1.5m at 1m above natural ground level and the canopy that is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
05-Aug-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
26-Aug-22	URGENT CIRCUMSTANCES	Felling/Removal	The tree represents an unacceptable risk to public or private safety.	O'CONNOR
30-Aug-22	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
30-Aug-22	NOT GRANTED	Lopping	It has not been established that any of the criteria for lopping have been satisfied in Clause 1(1) and (6) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
30-Aug-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
30-Aug-22	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR

30-Aug-22	NOT GRANTED	Lopping	It has not been established that any of the criteria for lopping have been satisfied in Clause 1(1) and (6) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
30-Aug-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Sep-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
05-Sep-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	O'CONNOR
12-Sep-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	O'CONNOR
12-Sep-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
20-Sep-22	GRANTED WITH CONDITIONS	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	O'CONNOR
29-Sep-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
06-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
11-Oct-22	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
12-Oct-22	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	O'CONNOR
14-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
20-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
20-Oct-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
26-Oct-22	URGENT CIRCUMSTANCES	Felling/Removal	The activity is necessary to protect the health or safety of people or animals, or public or private property.	O'CONNOR
26-Oct-22	URGENT CIRCUMSTANCES	Felling/Removal	The activity is necessary to protect the health or safety of people or animals, or public or private property.	O'CONNOR

21-Nov-22	GRANTED WITH CONDITIONS	Felling/Removal	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
21-Nov-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
05-Dec-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
05-Dec-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short. Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	O'CONNOR
05-Dec-22	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
05-Dec-22	GRANTED WITH CONDITIONS	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	O'CONNOR
05-Dec-22	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	O'CONNOR
05-Dec-22	NOT COVERED BY LEGISLATION	Groundwork	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
05-Dec-22	GRANTED	Felling/Removal	Where the tree is part of a close planting of a number of trees, the removal of the tree will allow the other trees to develop.	O'CONNOR
05-Dec-22	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR
03-Jan-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a pest plant under the Pest Plants and Animals Act 2005, therefore work undertaken on this tree does not require approval.	O'CONNOR
09-Jan-23	GRANTED	Major Pruning	The work is required as a remedial treatment.	O'CONNOR
09-Jan-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment. The work is required to reduce the risk of damage or prevent further damage to a substantial building, structure or service.	O'CONNOR
17-Jan-23	NOT COVERED BY LEGISLATION	Felling/Removal	The tree is a palm tree and is not listed on the ACT Tree Register, therefore, no approval is required for its removal under the Tree Protection Act 2005.	O'CONNOR
06-Feb-23	GRANTED	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	O'CONNOR
10-Feb-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the groundwork complies with the conditions stated in the approval.	O'CONNOR

10-Feb-23	NOT COVERED BY LEGISLATION	Groundwork	The tree is a street tree. Groundwork within the Tree Protection Zone of street trees is not covered by the Tree Protection Act 2005. However, the tree falls under the management of Transport Canberra and City Services and you can not remove the tree.	O'CONNOR
13-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
13-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
13-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
13-Feb-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
20-Feb-23	GRANTED	Felling/Removal	Removal of unsuitable or hazardous trees subject to replacement plantings being undertaken where necessary.	O'CONNOR
16-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
16-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
16-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
16-Mar-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
04-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
05-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
12-Apr-23	NOT GRANTED	Major Pruning	It has not been established that any of the criteria for major pruning have been satisfied in Clauses 1(1) and (5) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR

12-Apr-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
12-Apr-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
12-Apr-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
01-May-23	GRANTED	Felling/Removal	The tree is in decline and its life expectancy is short.	O'CONNOR
02-May-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
05-May-23	GRANTED WITH CONDITIONS	Felling/Removal	The tree is in decline and its life expectancy is short.	O'CONNOR
11-May-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
15-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
15-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
15-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
15-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
18-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
23-May-23	NOT GRANTED	Felling/Removal	It has not been established that any of the criteria for removal have been satisfied in Clauses 1(1) and (2) of Schedule 1 of Disallowable Instrument DI2006-60, Tree Protection (Approval Criteria) Determination 2006 (No 2).	O'CONNOR
26-May-23	NOT COVERED BY LEGISLATION	Groundwork	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
26-May-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR
26-May-23	GRANTED WITH CONDITIONS	Groundwork	The groundwork will have minimal impact on the tree if the activity complies with the conditions stated in the approval.	O'CONNOR

26-May-23	NOT COVERED BY LEGISLATION	Groundwork	The tree is less than 12m high, it has a circumference less than 1.5m at 1m above natural ground level and the canopy of the tree is less than 12m wide, therefore, work undertaken on this tree does not require approval.	O'CONNOR
21-Jun-23	GRANTED	Felling/Removal	The tree is located on a block of less than or equal to 1200m2 and is a species listed in Schedule 2.	O'CONNOR
23-Jun-23	GRANTED WITH CONDITIONS	Major Pruning	The work is required as a remedial treatment.	O'CONNOR
26-Jun-23	GRANTED WITH CONDITIONS	Felling/Removal	The location of the tree is inappropriate given its potential size and growth habit (excluding remnant eucalypts).	O'CONNOR